


1 GROUND FLOOR PLUMBING LAYOUT PLAN
 1:200 SCALE



2 SECOND FLOOR PLUMBING LAYOUT PLAN
 1:200 SCALE

PREPARED BY: ROMBLON STATE UNIVERSITY OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT	PROJECT TITLE: PROPOSED CONSTRUCTION 2 STOREY RSU CAJIDIOCAN CAMPUS ACADEMIC BUILDING	SHEET CONTENT: GROUND FLOOR PLUMBING LAYOUT PLAN SECOND FLOOR PLUMBING LAYOUT PLAN	CAD OPERATOR: Meribel Botoni	<div style="border: 1px solid black; border-radius: 50%; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin: 0 auto;"> P-1 </div>
	CHECKED BY: APPROVED BY: DATE:	JOB NO.: DATE: JUNE 2016		
PREPARED BY: ARACELDO SONZALES PRC No. 2674 / TIN 923-653-885 PRC No. 2674 / Date Issued PRC No. 2674 / Date Issued PRC No. 2674 / Date Issued PRC No. 2674 / Date Issued	CHECKED BY: APPROVED BY: DATE:	LOCATION: ROMBLON STATE UNIVERSITY - Cajidiocan Campus, Poblacion, Cajidiocan, Romblon	CAD OPERATOR: Meribel Botoni JOB NO.: DATE: JUNE 2016	












PLUMBING NOTES


1. ALL SANITARY WORKS INCLUDED HEREIN SHALL BE EXECUTED ACCORDING TO THE PROVISIONS OF THE NATIONAL PLUMBING CODE OF THE PHILIPPINES, NATIONAL BUILDING CODE OF THE PHILIPPINES AND ITS IMPLEMENTING AND REGULATIONS.
2. COORDINATE THE DRAWING WITH THE OTHER RELATED DRAWINGS AND SPECIFICATIONS. THE ARCHITECT AND/OR THE ENGINEER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY FOUND THEREIN HIS/HER DECISION SHALL BE FINAL.
3. ALL PIPES SHALL BE INSTALLED AS INDICATED ANY RELOCATION REQUIRED FOR PROPER EXECUTION OF OTHER TRADES SHALL BE WITH PRIOR APPROVAL OF THE ARCHITECT/ENGINEER.
4. PROPOSED SANITARY UTILITIES SHALL CONFORM TO THE ACTUAL LOCATION, DEPTH AND INVERTED ELEVATION OF EXISTING PIPES AND STRUCTURES AS VERIFIED BY THE CONTRACTORS.
5. THE CONTRACTORS SHALL BE RESPONSIBLE FOR ALL REQUIRED FLOOR AND WALL OPENINGS.
6. ALL SLOPE FOR HORIZONTAL DRAINAGE SHALL MAINTAIN 1% MINIMUM UNLESS OTHERWISE NOTED.
7. SIZE OF WATER SUPPLY PIPES TO FIXTURES SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.

SPECIFICATIONS:


1. ALL HORIZONTAL PIPINGS SHALL BE RUN IN PRACTICAL ALIGNMENT AND AT UNIFORM UNIFORM GRADE NOT LESS THAN 2% AND SHALL BE SUPPORTED OR ANCHORED AT INTERVAL NOT TO EXCEED 1.0FT.
2. ALL PIPES PASSING THRU OR UNDER WALLS AND DRIVEWAYS SHALL BE PROPERLY PROTECTED AGAINST BREAKAGE.
3. WORKMANSHIP SHALL BE OF SUCH CHARACTER AS TO FULLY SECURE THE RESULTS SOUGHT IN ALL PROVISION OF THE NATIONAL PLUMBING CODE INCLUDING THE FURNISHING S OF ALL FITTINGS, TRAPS, VALVES AND ACCESSORIES REQUIRED FOR PROPER PLUMBING SYSTEM.

LEGEND:


	4" PVC TEE CONNECTION		SEPTIC VAULT
	4" PVC PIPE		4" 60° PVC CONNECTION
	LAVATORY		WATER LINE
	WATER CLOSET		C.O.
	FLOOR DRAIN		SEPTIC LINE
			CLEAN OUT



1 PLAN OF SEPTIC VAULT
 P-4(P-4) SCALE 1:300



A PLAN VIEW

ARCH. JERRY Y. GONZALES
 REGISTERED MASTER PLUMBER
 PRC No. 26747 TIN 923-65-3985
 PTR No. 12620 Date Issued: 12/12/11
 Place Issued: SAMPALANG, CALABARZON
 APPROVED BY: 
 ARNEL M. DE LUNA
 Civil Engineer

PREPARED BY: ROMBLON STATE UNIVERSITY
 OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT

PROJECT TITLE:
**PROPOSED CONSTRUCTION
 2 STOREY RSU CAJIDIOCAN CAMPUS
 ACADEMIC BUILDING**

LOCATION: ROMBLON STATE UNIVERSITY - Cajidocan Campus, Palitunan, Cajidocan, Romblon

SHEET CONTENT:
 PLUMBING NOTES
 SPECIFICATION
 LEGEND
 PLAN OF SEPTIC VAULT

CAD OPERATOR:
 Neuwel Alonzo
 JOB NO.:
 DATE: JUNE 2016