



LEGEND :



SPECIFICATIONS :

1. ALL HORIZONTAL PIPINGS SHALL BE RUN IN PRACTICAL ALIGNMENT AND AT UNIFORM UNIFORM GRADE NOT LESS THAN 2% AND SHALL BE SUPPORTED OR ANCHORED AT INTERVAL NOT TO EXCEED 1.0FT.
2. ALL PIPES PASSING THRU OR UNDER WALLS AND DRIVEWAYS SHALL BE PROPERLY PROTECTED AGAINST BREAKAGE.
3. WORKMANSHIP SHALL BE OF SUCH CHARACTER AS TO FULLY SECURE THE RESULTS SOUGHT IN ALL PROVISIONS OF THE NATIONAL PLUMBING CODE INCLUDING THE FURNISHING OF ALL FITTINGS, TRAPS, VALVES AND ACCESSORIES REQUIRED FOR PROPER PLUMBING SYSTEM.
4. ALL SANITARY WORKS INCLUDED HEREIN SHALL BE EXECUTED ACCORDING TO THE PROVISIONS OF THE NATIONAL PLUMBING CODE OF THE PHILIPPINES, NATIONAL BUILDING CODE OF THE PHILIPPINES AND ITS IMPLEMENTING AND REGULATIONS.
5. COORDINATE THE DRAWING WITH THE OTHER RELATED DRAWINGS AND SPECIFICATIONS. THE ARCHITECT AND/OR THE ENGINEER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY FOUND THEREIN HIS/HER DECISION SHALL BE FINAL.
6. ALL PIPES SHALL BE INSTALLED AS INDICATED ANY RELOCATION REQUIRED FOR PROPER EXECUTION OF OTHER TRADES SHALL BE WITH PRIOR APPROVAL OF THE ARCHITECT/ENGINEER.
7. PROPOSED SANITARY UTILITIES SHALL CONFORM TO THE ACTUAL LOCATION, DEPTH AND INVERTED ELEVATION OF EXISTING PIPES AND STRUCTURES AS VERIFIED BY THE CONTRACTORS. THE CONTRACTORS SHALL BE RESPONSIBLE FOR ALL REQUIRED FLOOR AND WALL OPENINGS.
8. ALL SLOPE FOR HORIZONTAL DRAINAGE SHALL MAINTAIN 1% MINIMUM UNLESS OTHERWISE NOTED.
9. SIZE OF WATER SUPPLY PIPES TO FIXTURES SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.


1 PLAN OF SEPTIC VAULT

1:50

SCALE


SH SHOWER HEAD AND WATER FAUCET
WF

<p>PREPARED BY: ROMBLON STATE UNIVERSITY OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT</p>	<p>MASTER (AUTHOR): ARCH. GENRALYN S. JEROME AND JOE F. PALARITO REGISTERED WATER PLUMBER P.P.C. NO. 2534 (PLUMBING) & 2535 (ELECTRICAL) PLACE ISSUED: SALES</p>	<p>CHECKED BY: GENRALYN S. JEROME AND JOE F. PALARITO REGISTERED WATER PLUMBER P.P.C. NO. 2534 (PLUMBING) & 2535 (ELECTRICAL) PLACE ISSUED: SALES</p>	<p>PROJECT TITLE: CONSTRUCTION OF EXTENSION AND TRAINING CENTER</p>	<p>SHEET CONTENT: AS SHOWN</p>	<p>PREPARED BY: NEWWEI ABONI</p>	<p>JOB NO.:</p>	<p>DATE: JUNE 2017</p>
			<p>P-1</p>				



I GROUND FLOOR PLUMBING LAYOUT PLAN
 P-1/P-1 SCALE
 1:100

PREPARED BY: ROMBAON STATE UNIVERSITY OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT	CHECKED BY: ARCH. JERRY RIGONZALES REGISTERED ARCHITECT REG. NO. 2017-11-11-017 PROFESSIONAL REGISTRATION BOARD CIVIL ENGINEERING	PROJECT TITLE: CONSTRUCTION OF EXTENSION AND TRAINING CENTER LOCATION: ROMBAON STATE UNIVERSITY - Main Campus, Iwahig, Odongpan, Romblon	PREPARED BY: CAD OPERATOR: Menwel C. Antoni JOB NO.: DATE: JUNE 2017	SHEET CONTENT: AS SHOWN	P-1
--	---	--	--	----------------------------	-----



1 2ND FLOOR PLUMBING LAYOUT PLAN
 P-2/P-2 SCALE
 1:100

PREPARED BY: ROMBLON STATE UNIVERSITY OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT	PROJECT TITLE: CONSTRUCTION OF EXTENSION AND TRAINING CENTER	SHEET CONTENT: AS SHOWN	PREPARED BY: CAD OPERATOR: Menwaldo Toloni	<div style="border: 1px solid black; border-radius: 50%; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; text-align: center; margin: 0 auto;"> P-2 </div>
	CHECKED BY: ARIC MARY GONZALES PERSONAL ASSISTANT OF P. FARIATO SUPERVISOR OF PLUMBING APPROVED BY: ERIC S. TORIL DIRECTOR OF POLICE Date: _____ PTR No.: _____ Place: _____ TIN: _____	JOB NO.:	DATE: JUNE 2017	

LOCATIONS: ROMBLON STATE UNIVERSITY - Main Campus, Ilijan, Odigan, Romblon