



LEGEND :



SPECIFICATIONS :

- ALL HORIZONTAL PIPINGS SHALL BE RUN IN PRACTICAL ALIGNMENT AND AT UNIFORM GRADE NOT LESS THAN 2% AND SHALL BE SUPPORTED OR ANCHORED AT INTERVAL NOT TO EXCEED 1.0FT.
- ALL PIPES PASSING THRU OR UNDER WALLS AND DRIVEWAYS SHALL BE PROPERLY PROTECTED AGAINST BREAKAGE.
- WORKMANSHIP SHALL BE OF SUCH CHARACTER AS TO FULLY SECURE THE RESULTS SOUGHT IN ALL PROVISIONS OF THE NATIONAL PLUMBING CODE INCLUDING THE FURNISHING 5 OF ALL FITTINGS, TRAPS, VALVES AND ACCESSORIES REQUIRED FOR PROPER PLUMBING SYSTEM.
- ALL SANITARY WORKS INCLUDED HEREIN SHALL BE EXECUTED ACCORDING TO THE PROVISIONS OF THE NATIONAL PLUMBING CODE OF THE PHILIPPINES, NATIONAL BUILDING CODE OF THE PHILIPPINES AND ITS IMPLEMENTING AND REGULATIONS.
- COORDINATE THE DRAWING WITH THE OTHER RELATED DRAWINGS AND SPECIFICATIONS. THE ARCHITECT AND/OR THE ENGINEER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY FOUND THEREIN HIS/HER DECISION SHALL BE FINAL.
- ALL PIPES SHALL BE INSTALLED AS INDICATED ANY RELOCATION REQUIRED FOR PROPER EXECUTION OF OTHER TRADES SHALL BE WITH PRIOR APPROVAL OF THE ARCHITECT/ENGINEER.
- PROPOSED SANITARY UTILITIES SHALL CONFORM TO THE ACTUAL LOCATION, DEPTH AND INVERTED ELEVATION OF EXISTING PIPES AND STRUCTURES AS VERIFIED BY THE CONTRACTORS.
- THE CONTRACTORS SHALL BE RESPONSIBLE FOR ALL REQUIRED FLOOR AND WALL OPENINGS.
- ALL SLOPE FOR HORIZONTAL DRAINAGE SHALL MAINTAIN 1% MINIMUM UNLESS OTHERWISE NOTED.
- SIZE OF WATER SUPPLY PIPES TO FIXTURES SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.

SH SHOWER HEAD AND WATER FAUCET
WF

1 PLAN OF SEPTIC VAULT

1-570

SCALE

<p>PREPARED BY:</p>	<p>SHEET CONTENT:</p>	<p>PROJECT TITLE:</p>	<p>DATE: 3 JUNE 2017</p>
<p>CAD OPERATOR:</p>	<p>AS SHOWN</p>	<p>PROPOSED CONSTRUCTION OF RESEARCH BUILDING</p>	<p>ROMBLON STATE UNIVERSITY</p>
<p>JOB NO.:</p>	<p>NEWBORN, Rolani</p>	<p>ARCH. JERRY BENZALES REGISTERED MASTER PLUMBER PRC NO. 00111111111111111111 REG. NO. 11111111111111111111</p>	<p>OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT</p>
<p>DATE:</p>	<p>3 JUNE 2017</p>	<p>APPROVED BY:</p>	<p>DATE: _____ TIN: _____</p>
<p>DATE:</p>	<p>3 JUNE 2017</p>	<p>LOCATION: ROMBLON STATE UNIVERSITY - Main Campus, Abangan, Odiongan, Romblon</p>	<p>1</p>

P-2