




1 GROUND FLOOR PLUMBING LAYOUT PLAN
 P-1-P-1 SCALE 1/200



2 SECOND FLOOR PLUMBING LAYOUT PLAN
 P-2-P-2 SCALE 1/200




3 PLAN OF SEPTIC VAULT
 P-3-P-3 SCALE 1/25



- PLUMBING NOTES :**
1. ALL SANITARY WORKS INCLUDING SEWER SHALL BE EXECUTED ACCORDING TO THE PRACTICES OF THE NATIONAL BOARD OF STANDARDIZATION AND REGULATIONS.
 2. COORDINATE THE DRAWING WITH THE OTHER RELATED DRAWINGS AND SPECIFICATIONS. THE ARCHITECT AND/OR THE ENGINEER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY POINT THEREIN. ENGINEER'S DECISION SHALL BE FINAL.
 3. ALL PIPES SHALL BE INSTALLED AS INDICATED. ANY RELOCATION REQUIRED FOR PROTECTION OF OTHER UTILITIES SHALL BE WITH PRIOR APPROVAL OF THE ARCHITECT/ENGINEER.
 4. PROPOSED SANITARY UTILITIES SHALL CONFORM TO THE ACTUAL LOCATION, DEPTH, INVERTED ELEVATION OF EXISTING PIPES AND STRUCTURES AS VERIFIED BY THE CONSULTANTS.
 5. THE CONTRACTORS SHALL BE RESPONSIBLE FOR ALL REQUIRED TIE-IN AND WALL DRAINAGE.
 6. ALL SLOPE FOR HORIZONTAL DRAINAGE SHALL MAINTAIN A MINIMUM UNLESS OTHERWISE NOTED.
 7. SIZE OF WATER SUPPLY PIPES TO FIXTURES SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.

- SPECIFICATIONS :**
1. ALL HORIZONTAL PIPINGS SHALL BE RUN IN RATIONAL ALIGNMENT AND AT UNIFORM INTERVALS (SPACE NOT LESS THAN 25% AND SHALL BE SUPPORTED OR ANCHORED AT INTERVALS NOT TO EXCEED 1.0M).
 2. ALL PIPES PEGGING TIE-IN OR INTERWALLS AND DRAWINGS SHALL BE PROPERLY PROTECTED AGAINST BREACHAGE.
 3. WORKMANSHIP SHALL BE OF SUCH CHARACTER AS TO FULLY SECURE THE RESULTS SHOWN IN ALL PORTIONS OF THE NATIONAL PLUMBING CODE INCLUDING THE FIXTURES, FINISHES OF ALL FITTINGS, TRAPS, VALVES AND ACCESSORIES REQUIRED FOR THE PER PLUMBING SYSTEM.

REVISIONS: DATE: _____ BY: _____	DESIGNER: DATE: _____ BY: _____	PROJECT TITLE: REHABILITATION OF CAS BUILDING	SHEET NUMBER: IS SHOW	CAD OPERATOR: DATE: _____	P-1
APPROVED BY: ROMBION STATE UNIVERSITY OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT	APPROVED BY: ARTHUR J. GONZALES ARCHITECT 1000 S.	LOCATION: BALUBAN STATE UNIVERSITY - Main Campus, Lingsan, Davao Region, Mindanao	JOB NO.: _____ DATE: _____	DATE: _____	P-1



1
WATER CONNECTION LAYOUT PLAN
 SCALE: NTS.

P-2 P-2

PREPARED BY : ROMBION STATE UNIVERSITY OFFICE OF AUXILIARY, PLANT SERVICES AND POLLUTION CONTROL UNIT	MASTER NUMBER : PRC REG No. : TR No. : Place : Date : TIN :	CHECKED BY : APPROVED BY : ARBENIUS	PROJECT TITLE : REHABILITATION OF GAS BUILDING	SHEET CONTENT : AS SHOWN	CAD OPERATOR : JOB NO. : DATE :
<div style="border: 1px solid black; border-radius: 50%; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin: 0 auto;"> P-2 </div>					