

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____

Project ID No. RSU-2023-07-068 Page ___ of ___

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|---|-------------------|-----|-------------------------|---|--|--|-------------------------------------|---|
| Item | Description | Country of origin | QTY | Unit price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Final Destination (col 9) x (col 4) |
| 1 | <p>COMB RING PUNCH & BINDING MACHINE No. of Holes: 24-Holes Maximum Punching Capacity: 20 sheets Maximum Binding Thickness: 500 sheets Dimensions: 425 x 320 x 220 mm >A comb plastic punch and binding machine uses plastic ring binders. >All metal chassis and mechanism with 2-handles. >Applicable to all plastic rings up to 51mm. >With adjustable paper size guide and margin depth. >Manually punch to sheets of 20 lbs. bond paper at a time for a plastic comb binding. >Heavy Duty >With Adjustable Holes >Can bind Short, A4 and Long size</p> | | 1 | | | | | | |

| | | | | | | | | | |
|----|--|--|----|--|--|--|--|--|--|
| 2 | Cell cards/ load, TM, 100 per card | | 11 | | | | | | |
| 3 | Cell cards/ load, Globe, 100 per card | | 11 | | | | | | |
| 4 | Cell cards/ load, Smart, 500 per card | | 12 | | | | | | |
| 5 | Genuine Ink Tank Refill (Cyan) HP GT52 (70ml) | | 2 | | | | | | |
| 6 | Genuine Ink Tank Refill (Magenta) HP GT52 (70ml) | | 2 | | | | | | |
| 7 | Genuine Ink Tank Refill (Yellow) HP GT52 (70ml) | | 2 | | | | | | |
| 8 | Genuine Ink Tank Refill (Black) HP GT52 (90ml) | | 2 | | | | | | |
| 9 | Genuine Ink Tank Refill (Cyan) EPSON 673 (70ml) | | 2 | | | | | | |
| 10 | Genuine Ink Tank Refill (Magenta) EPSON 673 (70ml) | | 2 | | | | | | |
| 11 | Genuine Ink Tank Refill (Yellow) EPSON 673 (70ml) | | 2 | | | | | | |
| 12 | Genuine Ink Tank Refill (Black) EPSON 673 (90ml) | | 2 | | | | | | |

| | | | | | | | | | |
|----|--|--|---|--|--|--|--|--|--|
| 13 | Genuine Ink Tank Refill (Cyan) EPSON 001 (70ml) | | 2 | | | | | | |
| 14 | Genuine Ink Tank Refill (Magenta) EPSON 001 (70ml) | | 2 | | | | | | |
| 15 | Genuine Ink Tank Refill (Yellow) EPSON 001 (70ml) | | 2 | | | | | | |
| 16 | Genuine Ink Tank Refill (Black) EPSON 001 (90ml) | | 2 | | | | | | |
| 17 | Genuine Ink Tank Refill (Cyan) CANON 70 (70ml) | | 2 | | | | | | |
| 18 | Genuine Ink Tank Refill (Magenta) CANON 70 (70ml) | | 2 | | | | | | |
| 19 | Genuine Ink Tank Refill (Yellow) CANON 70 (70ml) | | 2 | | | | | | |
| 20 | Genuine Ink Tank Refill (Black) CANON 70 (90ml) | | 2 | | | | | | |
| 21 | Genuine Ink Tank Refill (Black) CANON GI-73 (90ml) | | 2 | | | | | | |
| 22 | Genuine Ink Tank Refill (Cyan) CANON GI-73 (70ml) | | 2 | | | | | | |
| 23 | Genuine Ink Tank Refill (Grey) CANON GI-73 (70ml) | | 2 | | | | | | |
| 24 | Genuine Ink Tank Refill (Magenta) CANON GI-73 (70ml) | | 2 | | | | | | |

| | | | | | | | | | |
|----|---|--|----|--|--|--|--|--|--|
| 25 | Genuine Ink Tank Refill (Red) CANON GI-73 (70ml) | | 2 | | | | | | |
| 26 | Genuine Ink Tank Refill (Yellow) CANON GI-73 (70ml) | | 2 | | | | | | |
| 27 | Sublimation Transfer Paper A4 Size 100 GSM | | 10 | | | | | | |
| 28 | ID Lanyard 1 inch Sublimation Print | | 50 | | | | | | |
| 29 | Photo Paper (Rough Satin/Woved), 260 GSM (A4) | | 30 | | | | | | |
| 30 | Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw | | 1 | | | | | | |
| 31 | Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw | | 1 | | | | | | |
| 32 | Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw | | 1 | | | | | | |
| 33 | Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw | | 1 | | | | | | |
| 34 | Paper, Bond, 8.5" x 13", Legal Size, Ultra White, 70gsm | | 30 | | | | | | |
| 35 | Morocco folder with slide, size: SHORT, color: Blue | | 50 | | | | | | |
| 36 | Morocco folder with slide, size: SHORT, color: Green | | 50 | | | | | | |

| | | | | | | | | | |
|----|---|--|----|--|--|--|--|--|--|
| 37 | Morocco folder with slide, size: SHORT, color: Yellow | | 50 | | | | | | |
| 38 | Photo Paper, 235gsm, Size: A4 (20 sheets) | | 2 | | | | | | |
| 39 | Photo Paper RC Woven Satin, 260gsm, Size: A4 (20 sheets) | | 25 | | | | | | |
| 40 | Specialty Board Paper, Legal Size (10 Sheets) | | 20 | | | | | | |
| 41 | Certificate Holder, Size: A4, Color: Gray/Black | | 15 | | | | | | |
| 42 | Marker, Permanent, Refillable, Broad, Black (12pcs) | | 1 | | | | | | |
| 43 | Marker, Permanent, Refillable, Broad, Blue (12pcs) | | 1 | | | | | | |
| 44 | White Board Marker, Black (12Pcs) | | 2 | | | | | | |
| 45 | Tape, Transparent, 24mm (1") Width | | 5 | | | | | | |
| 46 | Index Tab, Adhesive Strips, Color Transparent (A1), 300 strips/pack | | 5 | | | | | | |
| 47 | Air Freshener Spray, 320 ml | | 3 | | | | | | |
| 48 | Multi Insect Killer, Water-Based Spray, 500ml | | 3 | | | | | | |

| | | | | | | | | | |
|----|--|--|---|--|--|--|--|--|--|
| 49 | Disinfectant Spray, 510g (681ml) | | 3 | | | | | | |
| 50 | Desktop Computer: Processor: 12 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCIe 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard; Memory: 1 GB DDR4 5000 MHz; Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6; Casing: CORSAIR 5000D with 600 watts power supply and cooling fan, Keyboard and Mouse: MasterSet MS120; Display: at least 19" full HD Display with HDMI, DVI port; UPS | | 1 | | | | | | |
| 51 | Orbit Fan: 16" Plastic Blade, 4-Speed Remote Switch with Thermal Fuse Protection | | 6 | | | | | | |
| 52 | Flatbed Scanner: Scanner Type: Flatbed color document scanner; Optical Resolution: Flatbed: 1200 dpi; ADF: 600 dpi; Hardware Resolution: Flatbed: 1200x1200 dpi; ADF: 600 dpi; Color Bit Depth: 8-bit internal/ external; Optical Sensor: Contact Image Sensor (CIS): Maximum Scan Area: Flatbed: 8.5" x 11.7"; ADF: 8.5" x 14"; Light Source: 3-color LED Technology; Scanning Speed: | | 1 | | | | | | |

| | | | | | | | | | |
|----|---|--|---|--|--|--|--|--|--|
| | 25 ppm simplex, 10 ipm duplex (300 dpi, Black-and-white, Grayscale, color) | | | | | | | | |
| 53 | Desktop Computer- Processor: 12th Gen. (Comet Lake); 8 cores & 16 threads; 2.9 GHz Clock Speed; 4.8 GHz Maximum Turbo Frequency; LGA 1200 socket; Dual-Channel; DDR4-2933 Memory; Intel Optane Memory Support; Motherboard: Intel; B560 (LGA 1200); PCIe 4.0; Two M.2 slots: 8 power stages; Intel 1 Gb Ethernet; Display port;; Dual HDMI; rear USB 3.2 Gen 2 Type-C; V-M.2 Key E slot for Wi-Fi; Aura Sync; Addressable RGB; mATX motherboard; Memory: 16 GB DDR4 5000 MHz; Storage: 500gb SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 6500 XT PCI Express 4.0; Open GL (R)4.6; Video Memory 4 GB GDDR6; Casing: CORSAIR iCUE 5000x RGB Tempered Glass Mid Tower ATX PC Smart Case with 600 watts power supply and cooling fan; Keyboard and Mouse: MasterSet MS120; Display: at least 27 in Smart Monitor with mobile connectivity; AVR: 500 watts | | 2 | | | | | | |
| 54 | Computer Printer: All in one Multi-Functional Borderless Photo Printer: Print Method On-Demand ink jet (piezoelectric) Nozzle Configuration 90 nozzles, each colour (cyan, Light Cyan, Magenta, Yellow, Black) Print Direction Bi-directional printing, Uni-directional printing Maximum Resolution 5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume 1,5 pl) | | 1 | | | | | | |
| 55 | Desktop Computer: Processor: 10 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz | | 1 | | | | | | |

| | | | | | | | | | |
|----|---|--|---|--|--|--|--|--|--|
| | <p>Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCIe 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard;</p> <p>Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write GPU: Radeon RX 6500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6</p> <p>Casing: CORSAIR 5000D with 600 watts power supply and cooling fan</p> <p>Keyboard and Mouse: MasterSet MS120</p> <p>Display: at least 19" full HD Display with HDMI, DVI port</p> <p>AVR: 500 watts</p> | | | | | | | | |
| 56 | F6 Plus 5.5 Inch Suppor 4K 3D DSLR Camera Field Monitor 1080P for DSLR | | 3 | | | | | | |
| 57 | <p>Android Tablet with Smart Pen</p> <p>BODY Dimensions 254 x 165.2 x 6.5 mm (10.0 x 6.50 x 0.26 in)</p> <p>Weight 490g (1.08 lb)</p> <p>Build Glass front (Gorilla Glass 3), aluminum frame, aluminum back</p> <p>SIM No</p> <p>DISPLAY</p> <p>Type IPS LCD, 1B colors, 144Hz, HDR10, Dolby Vision, 550 nits</p> | | 1 | | | | | | |

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| <p>Size 11.0 inches, 350.9 cm² (~83.6% screen-to-body ratio) Resolution 1800 x 2880 pixels, 16:10 ratio (~309 ppi density) Protection Corning Gorilla Glass 3 PLATFORM OS Android 13, MIUI 14 Chipset Qualcomm SM8475 Snapdragon 8+ Gen 1 (4 nm) CPU Octa-core (1x3.19 GHz Cortex-X2 & 3x2.75 GHz Cortex-A710 & 4x1.80 GHz Cortex-A510) GPU Adreno 730 MEMORY Card slot No Internal 128GB 8GB RAM UFS 3.1 MAIN CAMERA Dual 50 MP, f/1.8, (wide), 1/2.76", 0.64µm, PDAF 2 MP, f/2.4, (depth) Features Dual-LED flash, HDR, panorama Video 4K@30/60fps, 1080p@30/60fps SELFIE CAMERA Single 20 MP, f/2.2, (wide), 1/3.4", 0.8µm Video 1080p@30/60fps SOUND Loudspeaker Yes, with stereo speakers (4 speakers) 3.5mm jack No 24-bit/192kHz audio COMMS WLAN Wi-Fi 802.11 a/b/g/n/a/6e, dual-band, Wi-Fi Direct Bluetooth 5.3, A2DP, LE Positioning Unspecified NFC No</p> | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|

| | | | | | | | | | |
|----|--|--|---|--|--|--|--|--|--|
| | <p>Radio No</p> <p>USB USB Type-C 3.2, accessory connector</p> <p>FEATURES</p> <p>Sensors Accelerometer, gyro, proximity (accessories only)</p> <p>BATTERY</p> <p>Type Li-Po 8600 mAh, non-removable</p> <p>Charging 67W wired, PD3.0, QC4, 100% in 1 hour (advertised)</p> <p>PEN</p> <p>Length 152mm</p> <p>Sampling Rate 240 Hz</p> <p>Weight 12.2g</p> <p>Pressure sensitivity 4096-level</p> <p>Pen Tip TPE replaceable soft pen-tip</p> <p>Generation 2nd Gen</p> | | | | | | | | |
| 58 | <p>Professional Camcorder with Top Handle Audio Unit, 1/2.33" CMOS Sensor</p> <p>Ultra HD 4K 24/30p Recording at 150 Mb/s 4:2:2</p> <p>1080p Video up to 60p at 50 Mb/s Dual SDHC/SDXC Memory Card Slots Live UHD 4K Output via HDMI 12x Optical Zoom Lens Two-Position ND Filter Nine User-Assignable Function Buttons Two XLR Inputs for External Microphones Independent Gain Control</p> | | 1 | | | | | | |
| 59 | <p>Laser Digital Copier (COLOUR MULTIFUNCTIONAL FOR A4 FORMAT) ECOSYS M5521sdw</p> | | 1 | | | | | | |
| 60 | <p>Desktop Computer</p> <p>Processor: 12th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200</p> | | 2 | | | | | | |

| | | | | | | | | | |
|----|--|--|---|--|--|--|--|--|--|
| | <p>Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support;</p> <p>Motherboard: Intel B560 (LGA 1200) PCIe 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard;</p> <p>Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write</p> <p>GPU: Radeon RX 6500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6</p> <p>Casing: CORSAIR iCUE 5000X RGB Tempered Glass Mid Tower ATX PC Smart Case with 600 watts power supply and cooling fan</p> <p>Keyboard and Mouse: MasterSet MS120</p> <p>Display: at least 19" full HD Display with HDMI, DVI port</p> <p>AVR: 500 watts</p> | | | | | | | | |
| 61 | <p>Printer, All In One Multi-Functional Borderless Photo Printer: Print Method On-Demand ink jet (piezoelectric) Nozzle Configuration 90 nozzles, each colour(Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black) Print Direction Bi-directional printing, Uni-directional printing Maximum Resolution 5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume 1.5 pl</p> | | 2 | | | | | | |
| 62 | <p>4-Gang extension outlet, 10 Amps, 250 Volts Standard size. Universal</p> | | 5 | | | | | | |

| | | | | | | | | | |
|----|---|--|----|--|--|--|--|--|--|
| 63 | Swing type Plug, 10 Amps, 250 Volts Standard size. | | 5 | | | | | | |
| 64 | Double Insulated Flat Cord Wire (16 Gauge) Standard size. White | | 20 | | | | | | |
| 65 | Portable Sound System, Bluetooth Connect Ready, USB Slot available, AUX In, Mic Included (wireless), with rollers Transducers: 2 x 154.6mm/ 5.25" woofer, 2 x 55mm/ 2.25" tweeter Output power: 160W RMS. Power input: 100-240V / 50/60 Hz. Frequency response: 45Hz-20KHz(-6dB) Signal-to-noise ratio: >80dB. Battery type: Li-ion polymer 36 Wh. Battery Charge time: 3.5 hours. | | 1 | | | | | | |
| 66 | Projector Projection System: 3LCD LCD Panel: 0.55-inch Light Source: Lamp Resolution: XGA Color Light Output: 4,100 Lumens White Light output: 4,100 Lumens Native Aspect Ratio: 4:3 Contrast Ratio: 16,000:1 Lamp Type: 230 W UHE Keystone Correction: Vertical: -30 to +30 degrees Horizontal: -30 to +30 degrees; Zoom: 1-1.6 (Optical) ; Screen Size (Standard Lens): 27" to 262"; Projection Distance (Standard Lens): 60" screen 1.93 – 3.14 m; Throw Ratio : 1.58 (Zoom: Wide); 2.56 (Zoom: Tele) | | 1 | | | | | | |

| | | | | | | | | | |
|--------------|--|--|------------|--|--|--|--|--|--|
| | Projection Lens F Number: 1.51 – 1.99; Projection Lens Focal Length: 18.2 mm – 29.2 mm; Focus Method: Manual; Offset: 19.4:1 CONNECTIVITY Input: Video 1 x RCA (Yellow); Input: Computer 2 x D-sub 15-Pin (RGB) 1 x USB 2.0 type B; Input: Digital 2 x HDMI; Input: Audio 2 x RCA (Red / White); 2 x Stereo mini; Control: I/O 1 x RS232C; Network: I/O 1 RJ45 1 x USB 2.0 type A (for optional Wireless LAN); Output: Video 1 x D-sub 15 pin; Output: Audio 1 x Stereo mini; Built-in Speaker 16 W; Miracast – Split Screen; Auto Keystone Correction Vertical: -30 to +30 degrees Horizontal Slide Keystone Correction Yes; Colour Modes: Dynamic, Presentation, Cinema, sRGB, Blackboard; Projector Warranty 3 Years | | | | | | | | |
| 67 | External Hard Drive SSD 2 TB | | 2 | | | | | | |
| TOTAL | | | 494 | | | | | | |

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____