



ROMBLON STATE UNIVERSITY

BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
 Telephone: (042) 567-5952
 Email: bac@rsu.edu.ph
 Website: rsu.edu.ph



Management System
 ISO 9001:2015
 www.tuv.com
 ID: 9000018802



BID BULLETIN

Clarification No. 1

Solicitation No.: RSU-2024-03-028

- TO** : All prospective bidders
- SUBJECT** : Change/Modification of Specifications in all attached/associated documents in the Philippine Bidding Documents (PBDs), Technical Specifications, and Price Schedule
- DATE** : 15 March 2024

This Bid Bulletin is issued to inform all prospective bidders of the change/modification of the specifications in all attached/associated documents in the PBDs, Technical Specifications, and Price Schedule. Please take notice of these changes.

FROM

**Supply and Delivery of Office and ICT Equipment for Romblon State University
 (ABC: PhP868,390.00)**

ITEM NO.	UNIT	ITEM DESCRIPTION	QTY	STATEMENT OF COMPLIANCE
1	unit	Aircon with Installation - 3 HP Inverter Type Floor-mounted Please see attached picture	3	
2	Unit	Heavy Duty Comb Binder Machine - Binding form: Plastic, Clamp Strap Pitch: 2:1 - Heavy Duty Maximum 15 sheets (80gsm) per manual punch; - Maximum Binding Capacity: 250 sheets (80gsm paper) - Max. Binding Width: Below 330mm - Adjustable Margin: 2.5, 4.5, 6.5mm; - Hole Distance: 14.3mm; Number of Holes: 24 Holes - Size of Machine: 425 x 235 x 150mm; Net Weight: 7.7kgs Please see attached picture	2	
3	unit	Office Printer (Print Only, A3 Maximum Print Size) "Printing Technology: PrecisionCore Printhead Nozzle Configuration: 400 x 1 nozzles Black, 128 x 1 per colour (Cyan, Magenta, Yellow) Print Direction: Bi-directional printing Maximum Resolution:	2	



ROMBLON STATE UNIVERSITY BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
Telephone: (042) 567-5952
Email: bac@rsu.edu.ph
Website: rsu.edu.ph



Management System
ISO 9001:2015
www.tuv.com
ID: 900018883



		<p>4800 x 1200 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume: 3.3 pl Print Speed*1: Draft Text- Memo, A4 (Black#1 / Colour#2) Up to 30 ppm / 20 ppm First Page Out Time (Black / Colour) Approx: 8 sec / 12 sec Photo Default- 10 x 15 cm / 4 x 6" *2 #3(Border / Borderless) Approx: 70 sec / 86 sec Photo Default- A4*2 (Border / Borderless) Approx: 156 sec / 210 sec Photo Default - A3*2 (Border / Borderless) Approx: 270 sec / - Existing Green Specification</p> <p>Please see attached picture</p>		
4	unit	<p>Office Printer (Duplex All-in-One) with ADF Print Method: On-demand inkjet (Piezoelectric) Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec *2 Existing Green Specification</p> <p>Please see attached picture</p>	4	
5	unit	<p>A4 Duplex Sheet-fed Document Scanner Scanner Type: A4 sheet-fed, one-pass duplex colour scanner Sensor Type: Colour Contact Image Sensor Scanning Method: Fixed carriage and moving document Light Source: RGB LED Optical Resolution:600 x 600 dpi Output Resolution: 50-1,200 dpi (1 dpi increments) Resolution (Colour/Greyscale/Mono): 200 dpi: 35 ppm / 70 ipm*2 300 dpi: 35 ppm / 70 ipm*2 600 dpi: 12 ppm / 24 ipm*2 Existing Green Specification</p> <p>Please see attached picture</p>	2	
6	unit	<p>Heavy Duty Shredder 310mm Throat Cross-Cut Paper Shredder Auto start and stop</p>	1	



ROMBLON STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
 Telephone: (042) 567-5952
 Email: bac@rsu.edu.ph
 Website: rsu.edu.ph



Management System
 ISO 9001:2015
 www.tuv.com
 ID: 9000018803



		<p>Auto reverse prevents paper jams Thermal overload protection Safety cut-out on bin removal Accepts CLIPS, STAPLES, CREDIT CARDS and CDs with caster</p> <p>Please see attached picture</p>		
7	set	<p>1.0 HP Inverter Split Type AC, with installation Nominal Size: 1.0HP Remote: Yes Timer: Yes Manual: Yes Cooling Capacity: 9,500 (2,900-11,100) Color: White Control Type: Remote Cooling Area (sq. meters): 17 Speed cooling: Yes Airflow Direction Control (Up & Down): Yes Airflow Direction Control (Up & Down): No Temperature Control: Digital Fan Speed: Silence, Low, Mid, High, Low, Auto, 1-100% Grades Watts: 700 (290-990) Voltage: 230</p> <p>Other Features:</p> <ul style="list-style-type: none"> • Silence Mode • Follow me • Do not disturb • Smooth Frequency control • Eco gear operation • 1-100 grades indoor DC fan • ECO mode • Sleep mode • Louver position memory • Two-way drain • Emergency use function • Intelligent dusting switch • Gold fin • Active clean <p>Please see attached picture</p>	1	
TOTAL			15	



ROMBLON STATE UNIVERSITY

BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505

Telephone: (042) 567-5952

Email: bac@rsu.edu.ph

Website: rsu.edu.ph



Management System
ISO 9001:2015
www.tuv.com
ID: 9000018903



Item No. 1

Aircon with Installation



Model Name	Indoor Unit	Outdoor Unit	FVFC71AXVA RZFC71AXVM
Capacity Indication		HP	3.0
Rated Cooling Capacity (Min. - Max.)		kW	7.1 (3.2 - 8.0)
		Btu/h	24,200 (10,900 - 27,300)
Rated Power Consumption		kW	2.33
COP		W/W	3.04
CSPF		Wh/Wh	4.27
DOE Star Rating		★	5★
Power Supply		Φ/V/Hz	
Indoor	Front Panel Color	-	
	Airflow Rate (H/M/L)	CFM	675 / 625 / 530
	Sound Level (H/M/L)	dB (A)	45 / 44 / 40
	Dimension (HxWxD)	mm	1,850x600x270
	Weight (Mass)	kg	42
Outdoor	Casing Color	-	
	Compressor	-	
	Sound Level (H)	dB (A)	50
	Dimension (HxWxD)	mm	615x845x300
	Weight (Mass)	kg	37
Refrigerant	Type	-	
	Charge	kg	1.15
Connecting Pipes	Liquid Pipe	mm	
	Gas Pipe	mm	
	Drain	Indoor Outdoor	mm -
Max. Interunit Piping Length		m	30
Min. Circuit Amps		A	18.5
Max. Fuse Amps		A	20



ROMBLON STATE UNIVERSITY

BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
Telephone: (042) 567-5952
Email: bac@rsu.edu.ph
Website: rsu.edu.ph




Management System
ISO 9001:2015



www.tuv.com
ID: 900018803

Item No. 2

Heavy Duty Comb Binder Machine



Item No. 3

Office Printer (Print Only, A3 Maximum Print Size)





ROMBLON STATE UNIVERSITY BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
Telephone: (042) 567-5952
Email: bac@rsu.edu.ph
Website: rsu.edu.ph



Management System
ISO 9001:2015



www.tuv.com
ID 500018803

Item No. 4

Office Printer (Duplex All-in-One) with ADF



Item No. 5

A4 Duplex Sheet-fed Document Scanner



Item No. 6

Heavy Duty Shredder





ROMBLON STATE UNIVERSITY
BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
 Telephone: (042) 567-5952
 Email: bac@rsu.edu.ph
 Website: rsu.edu.ph




Management System
 ISO 9001:2015
 www.tuv.com
 ID: 9000018803



Item No. 7

1.0 HP Inverter Split Type AC, with installation



TO

Supply and Delivery of Office and ICT Equipment for Romblon State University
(ABC: PhP828,990.00)

ITEM NO.	UNIT	ITEM DESCRIPTION	QTY	STATEMENT OF COMPLIANCE
1	unit	Aircon with Installation - 3 HP Inverter Type Floor-mounted Please see attached picture	3	
2	Unit	 Heavy Duty Comb Binder Machine — Binding form: Plastic, Clamp Strap Pitch: 2:1 — Heavy Duty Maximum 15 sheets (80gsm) per manual punch; — Maximum Binding Capacity: 250 sheets (80gsm paper) — Max. Binding Width: Below 330mm — Adjustable Margin: 2.5, 4.5, 6.5mm; — Hole Distance: 14.3mm; Number of Holes: 24 Holes — Size of Machine: 425 x 235 x 150mm; Net Weight: 7.7kgs Please see attached picture 	2	
3	unit	Office Printer (Print Only, A3 Maximum Print Size) "Printing Technology: PrecisionCore Printhead Nozzle Configuration: 400 x 1 nozzles Black, 128 x 1 per colour (Cyan, Magenta, Yellow) Print Direction: Bi-directional printing Maximum Resolution:	2	



ROMBLON STATE UNIVERSITY

BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
 Telephone: (042) 567-5952
 Email: bac@rsu.edu.ph
 Website: rsu.edu.ph



Management System
 ISO 9001:2015
 www.tuv.com
 ID 9000018803



		<p>4800 x 1200 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume: 3.3 pl Print Speed*1: Draft Text- Memo, A4 (Black#1 / Colour#2) Up to 30 ppm / 20 ppm First Page Out Time (Black / Colour) Approx: 8 sec / 12 sec Photo Default- 10 x 15 em / 4 x 6" *2 #3(Border / Borderless) Approx: 70 sec / 86 sec Photo Default- A4*2 (Border / Borderless) Approx: 156 sec / 210 sec Photo Default - A3*2 (Border / Borderless) Approx: 270 sec / - Existing Green Specification Please see attached picture</p>		
4	unit	<p>Office Printer (Duplex All-in-One) with ADF Print Method: On-demand inkjet (Piezoelectric) Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec *2 Existing Green Specification Please see attached picture</p>	4	
5	unit	<p>A4 Duplex Sheet-fed Document Scanner Scanner Type: A4 sheet-fed, one-pass duplex colour scanner Sensor Type: Colour Contact Image Sensor Scanning Method: Fixed carriage and moving document Light Source: RGB LED Optical Resolution:600 x 600 dpi Output Resolution: 50-1,200 dpi (1 dpi increments) Resolution (Colour/Greyscale/Mono): 200 dpi: 35 ppm / 70 ipm*2 300 dpi: 35 ppm / 70 ipm*2 600 dpi: 12 ppm / 24 ipm*2 Existing Green Specification Please see attached picture</p>	2	
6	unit	<p>Heavy Duty Shredder 310mm Throat Cross-Cut Paper Shredder Auto start and stop Auto reverse prevents paper jams</p>	1	



ROMBLON STATE UNIVERSITY

BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
 Telephone: (042) 567-5952
 Email: bac@rsu.edu.ph
 Website: rsu.edu.ph



Management System
 ISO 9001:2015
 www.tuv.com
 ID 5000018803



		<p>Thermal overload protection Safety cut-out on bin removal Accepts CLIPS, STAPLES, CREDIT CARDS and CDs with caster Capacity: 21 L Please see attached picture</p>		
7	set	<p>1.0 HP Inverter Split Type AC, with installation, wall mounted Nominal Size: 1.0HP Remote: Yes Timer: Yes Manual: Yes Cooling Capacity: 9,500 (2,900-11,100) Color: White Control Type: Remote Cooling Area (sq. meters): 17 Speed cooling: Yes Airflow Direction Control (Up & Down): Yes Airflow Direction Control (Up & Down): No Temperature Control: Digital Fan Speed: Silence, Low, Mid, High, Low, Auto, 1-100% Grades Watts: 700 (290-990) Voltage: 230</p> <p>Other Features:</p> <ul style="list-style-type: none"> • Silence Mode • Follow me • Do not disturb • Smooth Frequency control • Eco gear operation • 1-100 grades indoor DC fan • ECO mode • Sleep mode • Louver position memory • Two-way drain • Emergency use function • Intelligent dusting switch • Gold fin • Active clean <p>Please see attached picture</p>	1	
TOTAL			13	



ROMBLON STATE UNIVERSITY BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiangan, Romblon 5505
 Telephone: (042) 567-5952
 Email: bac@rsu.edu.ph
 Website: rsu.edu.ph



Management System
 ISO 9001:2015



www.tuv.com
 ID 900018803

Item No. 1

Aircon with Installation



Capacity Indication		HP	3.0
Rated Cooling Capacity (Min. - Max.)		kW	7.1 (3.2 - 8.0)
		Btu/h	24,200 (10,900 - 27,300)
Rated Power Consumption		kW	2.33
COP		W/W	3.04
CSPF		Wh/Wh	4.27
DOE Star Rating		★	5★
Power Supply		Φ/V/Hz	
Indoor	Front Panel Color		-
	Airflow Rate (H/M/L)		CFM 675 / 625 / 530
	Sound Level (H/M/L)		dB (A) 45 / 44 / 40
	Dimension (HxWxD)		mm 1,850x600x270
	Weight (Mass)		kg 42
Outdoor	Casing Color		-
	Compressor		-
	Sound Level (H)		dB (A) 50
	Dimension (HxWxD)		mm 615x845x300
	Weight (Mass)		kg 37
Refrigerant	Type		-
	Charge		kg 1.15
Connecting Pipes	Liquid Pipe		mm
	Gas Pipe		mm
	Drain	Indoor	mm
		Outdoor	-
Max. Interunit Piping Length		m	30
Min. Circuit Amps		A	18.5
Max. Fuse Amps		A	20



ROMBLON STATE UNIVERSITY BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiangan, Romblon 5505
Telephone: (042) 567-5952
Email: bac@rsu.edu.ph
Website: rsu.edu.ph



Management System
ISO 9001:2015



www.tuv.com
ID: 9000018803


Item No. 3

Office Printer (Print Only, A3 Maximum Print Size)



Item No. 4

Office Printer (Duplex All-in-One) with ADF



Item No. 5

A4 Duplex Sheet-fed Document Scanner





ROMBLON STATE UNIVERSITY BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiangan, Romblon 5505
Telephone: (042) 567-5952
Email: bac@rsu.edu.ph
Website: rsu.edu.ph



Management System
ISO 9001:2015



www.tuv.com
ID: 900018903


Item No. 6

Heavy Duty Shredder



Item No. 7

2.0 HP Inverter Split Type AC, with installation



Please be advised that this bid bulletin is issued to amend the specifications in all attached/associated documents. This shall be an integral part of the Bid Documents.

For information and guidance of all concerned.


ATTY. GLENN NIÑO M. SARTILLO
BAC Chairperson

