

Republic of the Philippines
ROMBLON STATE UNIVERSITY
Odiongan, Romblon

Supply and Delivery of Various Construction Supplies and Materials for Romblon State University

Solicitation No: RSU-2024-06-062
Source of Fund: 164
Total ABC: PhP4,303,026.78

Pre –Bid Conference : 26 June 2024 (04:30 PM)

Submission of Bid Docs : On or Before 09 July 2024 (11:00 AM)

Opening of Bid Docs : 09 July 2024 (11:00 AM)

Venue : BAC Office, Community Outreach Center, Romblon State University, Liwanag, Odiongan, Romblon

PHILIPPINE BIDDING DOCUMENTS
Procurement of GOODS
Government of the Republic of the Philippines

Sixth Edition
July 2020

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations.....	2
Section I. Invitation to Bid.....	5
Section II. Instructions to Bidders.....	8
1. Scope of Bid.....	9
2. Funding Information.....	9
3. Bidding Requirements.....	9
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	9
5. Eligible Bidders.....	9
6. Origin of Goods.....	10
7. Subcontracts.....	10
8. Pre-Bid Conference.....	10
9. Clarification and Amendment of Bidding Documents.....	11
10. Documents comprising the Bid: Eligibility and Technical Components.....	11
11. Documents comprising the Bid: Financial Component.....	11
12. Bid Prices.....	11
13. Bid and Payment Currencies.....	12
14. Bid Security.....	12
15. Sealing and Marking of Bids.....	12
16. Deadline for Submission of Bids.....	13
17. Opening and Preliminary Examination of Bids.....	13
18. Domestic Preference.....	13
19. Detailed Evaluation and Comparison of Bids.....	13
20. Post-Qualification.....	14
21. Signing of the Contract.....	14
Section III. Bid Data Sheet.....	15
Section IV. General Conditions of Contract.....	17
1. Scope of Contract.....	18
2. Advance Payment and Terms of Payment.....	18
3. Performance Security.....	18
4. Inspection and Tests.....	18
5. Warranty.....	18
6. Liability of the Supplier.....	19
Section V. Special Conditions of Contract.....	20
Section VI. Schedule of Requirements.....	24
Section VII. Technical Specifications.....	35
Section VIII. Checklist of Technical and Financial Documents.....	44
Forms.....	47

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



ROMBLON STATE UNIVERSITY BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505
Telephone: (042) 567-5952
Email: bac@rsu.edu.ph
Website: rsu.edu.ph



INVITATION TO BID FOR SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION SUPPLIES AND MATERIALS FOR ROMBLON STATE UNIVERSITY (ABC: PHP4,303,026.78)

1. The **Romblon State University**, through **Fund 164 (2024)** intends to apply the sum of **Four Million, Three Hundred Three Thousand, Twenty-Six Pesos and Seventy-Eight Centavos Only (PhP4,303,026.78)** being the ABC to payments under the contract for **RSU-2024-06-062**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The **Romblon State University** now invites bids for the above Procurement Project. Delivery of the Goods is required by **within twenty-five (25) calendar days from receipt of the Notice to Proceed**. Bidders should have completed, within **five (5) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from **Romblon State University** and inspect the Bidding Documents at the address given below during **Mondays to Fridays, 8:00 AM to 5:00 PM, except holidays**.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **04 June 2024** until before the opening of bids from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos Only (PhP5,000.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person, by facsimile, or through electronic means*.
6. The **Romblon State University** will hold a Pre-Bid Conference on **04:30 PM, 26 June 2024** at **BAC Office, Community Outreach Center, Romblon State University** and/or through video conferencing or webcasting *via Zoom Conference*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **11:00 AM, 09 July 2024**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

9. Bid opening shall be on **11:00 AM, 09 July 2024** at the given address below *and/or* via **Zoom Conferencing**. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

The bidder/s must submit one (1) original hard copy, and three (3) true copies of the bidding documents.

10. The **Romblon State University** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. Pursuant to **Section 61 of RA 9184**, all bid prices shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB.
12. For further information, please refer to:

MS. VEE F. FRANCISCO
Head, BAC Secretariat
Romblon State University, Odiongan, Romblon 5505
Email Address: bac@rsu.edu.ph
Cellphone No.: 09398173816
Website: www.rsu.edu.ph

13. You may visit the following websites:

For downloading of Bidding Documents:
www.rsu.edu.ph
<https://notices.philgeps.gov.ph/>

19 June 2024

(SGD) ATTY. GLENN NIÑO M. SARTILLO
BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, **Romblon State University**, wishes to receive Bids for the **Supply and Delivery of Various Construction Supplies and Materials for Romblon State University (ABC: PhP4,303,026.78)**, with identification number **RSU-2024-06-062**.

The Procurement Project (referred to herein as “Project”) is composed of one (1) lot, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for **Fiscal Year 2024** in the amount of **Four Million, Three Hundred Three Thousand, Twenty-Six Pesos and Seventy-Eight Centavos Only (PhP4,303,026.78)**.

2.2. The source of funding is:

- a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2.

- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address, **BAC Office, Community Outreach Center, Romblon State University**, and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **five (5) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
- a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **05 November 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1 Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> a. Supply and Delivery of Various Construction Supplies and Materials. b. Completed within five (5) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP Romblon State University-Main Campus, Odiongan, Romblon or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> a. The amount of not less than <u>PhP86,060.54</u> <i>[Indicate the amount equivalent to two percent (2%) of ABC]</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <u>PhP215,151.34</u> <i>[Indicate the amount equivalent to five percent (5%) of ABC]</i> if bid security is in Surety Bond.
20.2	N/A
21.2	N/A

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery terms applicable to this Contract are delivered to Romblon State University-Main Campus, Odiongan, Romblon. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is the Head of the Supply and Property Management Office.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ol style="list-style-type: none"> e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <ol style="list-style-type: none"> 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and

	<p>2. in the event of termination of production of the spare parts:</p> <ul style="list-style-type: none"> i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of three (3) years.</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within one (1) month of placing the order.</p>
	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p>
	<p>Transportation –</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2	<p>The inspection/s and/or test/s that will be conducted is/are: A. Quality Checking</p>

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	2 inches x 3 inches x 10 feet Coco lumber	10	10	
2	Common Wire Nail (CWN) 3 inches	5	5	
3	Nylon No. 40 (37 meters/clip)	2	2	
4	Sledge Hammer (8 lbs)	1	1	
5	Fiber Cement Board 4.5 mm thick x 8 feet x 4 feet	4	4	
6	Metal Furring 0.4 mm x 16 feet long	13	13	
7	Carrying Channel 0.8 mm x 10 feet long	15	15	
8	Wall Angle 1 inch x 1 inch x 10 feet long	6	6	
9	W-Clip	24	24	
10	Blind Rivets 5/32 inches x ½ inch (1 box = 500 pcs)	1	1	
11	Riveter Heavy Duty	1	1	
12	Metal Drill Bit 5/32 inches x ½ inch	5	5	
13	Concrete Nail 1 inch	2	2	
14	Galvanized Iron No. 16 Tying Wire	2	2	
15	Reinforcing Steel Bar (RSB) 16 mm	36	36	
16	Reinforcing Steel Bar (RSB) 10 mm	50	50	
17	Concrete Hollow Block (CHB) 6 inches	450	450	
18	Portland Cement 40kg Type 1	100	100	
19	Galvanized Iron Wire (G.I.) number 16	10	10	
20	Phenolic Board ½ inch x 4 feet x 8 feet	4	4	
21	Coco lumber 2 inches x 3 inches x 10 feet	40	40	
22	Common Wire Nail (CWN) 2 inches	1	1	
23	Common Wire Nail (CWN) 3 inches	5	5	
24	Common Wire Nail (CWN) 4 inches	4	4	
25	Washed Gravel	3	3	
26	Screened River Sand	9	9	
27	Blind Revits 5/32 inch in Diameter x 5/8 inch long	1	1	
28	Colored Roof RIB Type (7 Rib) .5mm x 6.0mtrs. Green	2	2	
29	Tex screw 2 ½ inch (Metal)	100	100	
30	Galvanized Iron C-Purlins 2.0mm x 2 inches x 3 inches x 6.0mtrs.	4	4	
31	Galvanized Iron Tubular 2.0 mm x 2 inches x 4 inches x 6.0 meters.	1	1	
32	Stainless Tube 1 ½ inch in Diameter SUS 304	3	3	
33	Flop Disc Number 120	3	3	
34	Flop Disc Number 100	3	3	
35	Buffing Soap	1	1	
36	Nylon Flux	3	3	

37	Electrode Stainless NSS - 308 (2.6 mm) 1/16 inch.	1	1	
38	Cotton Flux	3	3	
39	Flat Latex White Paint	10	10	
40	Gloss Latex White Paint	11	11	
41	Acry Color Lamp Black	1	1	
42	Paint Brush 2 inches	1	1	
43	Baby Roller (Cloth)	2	2	
44	Paint Thinner	1	1	
45	Sand Paper no. 100 (28 cm by 23 cm)	5	5	
46	Sand Paper no. 220 (28 cm by 23 cm)	5	5	
47	Sand Paper no. 420 (28 cm by 23 cm)	5	5	
48	Skim Coat	6	6	
49	Roller Brush 9 inches (Cloth)	1	1	
50	Metal Flushed Type Door with Bottom Louver Rockwool insulated 4 mm thick GA 18, GI Door Panel with GA 16 Single Rabbet Jamb 45mm x 100mm with 100mm x 100mm Bearing Hinges (Color: Pantone Cool Gray 5c), 2.1mH x .9mW	1	1	
51	Ordinary Green Fixed Glass Window 5 mm thick Panel on 50 mm x 100 mm Baked Powder Coated Aluminum Frame 2mH x 1.35mW (with installation)	2	2	
52	Ordinary Green Fixed Glass Window 6 mm thick Panel on 50 mm x 100 mm Baked Powder Coated Aluminum Frame 1.84mH x 0.4mW (with installation)	1	1	
53	Motion sensor ceiling type, 220V	1	1	
54	Wall fan 18 inches, 3 speed (white)	1	1	
55	Photo Control photo-switch sensor switch light controller AC 220V, 60Hz, 10A	1	1	
56	Electrical Meter direct type CL-100	1	1	
57	ECB 40AT 2P NEMA 3R	1	1	
58	3 Gang Switch	1	1	
59	Duplex Universal Outlet with ground	2	2	
60	Single Universal Outlet with ground	1	1	
61	Blank Cover for utility box	1	1	
62	8 inches exhaust fan ceiling mounted (flexible duct 3 inches diameter and 3 meters length)	1	1	
63	1 x 18 watts LED T8 tube die form cold rolled steel casings with prismatic diffuser	1	1	
64	2 pole Electrical panel flush mounted 1 main, 4 branches bolt-on type bus bar	1	1	
65	40A, 2 pole, bolt-on circuit breaker	1	1	
66	20A, 2 pole, bolt-on circuit breaker	3	3	
67	Pull box, Gauge 16, Concentric Knock-out 1.2mm thick metal pull box conduit (6 x 6 x 4) inch	1	1	

68	15 watts pinlight recessed type	1	1	
69	1/2 inch diameter electrical PVC pipe, orange	20	20	
70	3/4 inch diameter electrical PVC pipe orange	5	5	
71	3 inch diameter electrical PVC pipe orange	1	1	
72	PVC utility box with cover	5	5	
73	PVC junction box with cover	10	10	
74	AWG #8 THHN wire	100	100	
75	AWG #12 THHN wire	1	1	
76	AWG #14 THHN wire	1	1	
77	CCTV set with 2 channel 5MP Full HD with Audio with 20 inches LED monitor with installation (please clarify if this item should be included in this project)	1	1	
78	Grounding Rod 3 meters 5/8 inch diameter	1	1	
79	Grounding Clamp 5/8 inch	1	1	
80	Electrical Tape (15 meters x 0.16mm x 19mm x 16mm)	5	5	
81	Concrete Hollow Blocks (CHB) 4 inches	1,200	1,200	
82	Premium Cement 40kg Type 1	116	116	
83	Reinforcing Steel Bar (RSB) 10mm	85	85	
84	Galvanized Iron (G.I.) wire number 18	16	16	
85	River sand	16	16	
86	Marine Plywood 1/4 inch x 4 feet x 8 feet (first class)	1	1	
87	Common Wire Nail (CWN) 1 inch	1/2	1/2	
88	Common Wire Nail (CWN) 2 inches	1/2	1/2	
89	Finishing Nail 1 inch	1/2	1/2	
90	PVC Door (Door King) VGA Beige 60 cm x 210 cm	4	4	
91	Door Knob (HD) Heavy Duty	4	4	
92	Jalousie Blade 17 inches long 4 inches width (smoked)	6	6	
93	Lavatory Faucet, G.I.	2	2	
94	Flexible Hose (Stainless) 1/2 inch in diameter x 16 inches long	2	2	
95	Faucet (Brass)	2	2	
96	Floor Drain (Plastic)	2	2	
97	Angle Valve 1 Way	2	2	
98	Teflon Tape 1/2 inch x 10 meters	3	3	
99	Receptacle 4 inches in diameter	4	4	
100	LED Bulb 15 watts	4	4	
101	Electrical Tape (Big)	1	1	
102	Switch 1 gang Assembled	4	4	
103	Premium Cement 40kg Type 1	170	170	
104	Concrete Hollow Blocks (CHB) 4 inches	331	331	
105	River sand	12	12	
106	Washed gravel	12	12	
107	Reinforcing Steel Bar (RSB) 12mm Grade 33	60	60	
108	Reinforcing Steel Bar (RSB) 9mm Grade 33	20	20	

	Common Wire Nail (CWN) 2 inches	1	1	
109	Common Wire Nail (CWN) 3 inches	1	1	
110	Galvanized Iron (G.I.) wire number 16	5	5	
111	Galvanized Iron (G.I.) pipe 4 inches in diameter x 6.0mtrs. S40	10	10	
112	Angle Bar 2.5mm x 1 ½ inch x 6.0mtrs	16	16	
113	Flat Bar 2.5mm x 2 inches x 6.0mtrs	5	5	
114	Tubular G.I. 2 inches x 6 inches x 6.mtrs	15	15	
115	Welding Electrode Special 6013 (2.5kg/box)	5	5	
116	Metal Cutting Disc 4 inches in diameter	40	40	
117	Grinding Disc 4 inches in diameter	15	15	
118	Flat Bar 3.5mm x 2 inches x 6.0mtrs	2	2	
119	Metal Cut-Off Disc 14 inches in diameter	10	10	
120	Channel Bar 2 inches x 4 inches x 6.0mtrs, thickness: 3.5 mm	13	13	
121	Colored Roof RIB Type .5mm x 6.0mtrs. (7 ribs) Green	32	32	
122	Ridge Roll 18 inches x .5mm	12	12	
123	Fiber Cement Facia Board 10mm x 10 inches x 8 feet	22	22	
124	Valley Gutter 0.5mm x 18 inches	3	3	
125	C-Purlins 2 inches x 3 inches x 6.0mtrs x 1.5mm	90	90	
126	Tex screw 2 ½ inches (Metal)	2,000	2,000	
127	Blind Rivets 5/32 inch in diameter x ¾ inch long	1	1	
128	Metal Drill Bit 5/32 inch in diameter	5	5	
129	Riveter Heavy Duty (HD)	1	1	
130	Tubular 2 inches x 6 inches x 6.0mtrs x 2.0mm	15	15	
131	Baby Roller (Cotton)	2	2	
132	Paint Brush 2 inches	2	2	
133	Metal Primer (Red Oxide) Paint	12	12	
134	PDX Wire number 14	2	2	
135	Convenient Outlet 2 Gang Assembled	6	6	
136	Utility Box 2 inches x 4 inches, plastic	6	6	
137	Receptacle 4 inches in diameter, plastic	6	6	
138	Polyvinyl Chloride (PVC) orange ½ inch in diameter	20	20	
139	Vinyl Electrical Tape .16mm x 19mm x 6mtr.	2	2	
140	LED Light Bulb 15 watts	6	6	
141	Switch 2 Gang Assembled	3	3	
142	Paint Thinner, 350ml/bottle	4	4	
143	Nylon Number 80	4	4	
144	Bidet (Stainless)	1	1	
145	3 Way Angle Valve	1	1	
146	Teflon Tape	2	2	
147	Gloss Latex Paint (White)	4	4	
148	Quick Dry Enamel Paint, White	4	4	

149	Roller Brush #7	2	2	
150	Baby Roller (Cotton)	2	2	
151	Paint Thinner, 350ml/bottle	4	4	
152	Paint Tray	2	2	
153	LED Bulb 15 watts	31	31	
154	Tubular G.I. 1 inch x 2 inches x 6mtrs. X 1.5mm	60	60	
155	Welding Electrode number 6013 (Special) 2.5kg/box	4	4	
156	Metal Cutting Disc 4 inches in diameter	20	20	
157	Grinding Disc 4 inches in diameter	10	10	
158	G.I. Bolts and nuts 1/4 inch in diameter x 2 inches	200	200	
159	Marine Plywood 1/4 inch x 4 feet x 8 feet (First Class)	3	3	
160	Blind Rivets 5/32 inch x 1/2 inch	1	1	
161	Drill Bit (Metal) 5/32 inch in diameter	5	5	
162	Metal Primer (Red Oxide) Paint	8	8	
163	Quick Drying Enamel Black Paint	8	8	
164	Paint Brush 2 inches	1	1	
165	Baby Roller (Cotton)	2	2	
166	Paint Thinner, 350ml/bottle	5	5	
167	Premium Cement 40kg Type 1	300	300	
168	Concrete Hollow Blocks (CHB) 4 inches	2,500	2,500	
169	Washed River Sand	20	20	
170	Washed Gravel	5	5	
171	Mixed Sand	15	15	
172	Reinforcing Steel Bar (RSB) 12mm Grade 33	80	80	
173	Reinforcing Steel Bar (RSB) 9mm Grade 33	250	250	
174	Reinforcing Steel Bar (RSB) 10mm Grade 33	500	500	
175	Galvanized Iron (G. I.) Wire number 16	50	50	
176	Premium Cement 40kg Type 1	300	300	
177	Washed River Sand	20	20	
178	Floor Tiles 40cm x 40cm	850	850	
179	Tile Grout	10	10	
180	GV-6690 Water Closet	10	10	
181	Tissue holder (Porcelain)	10	10	
182	Lavatory GV-159 C Top Art basin	5	5	
183	Marine Plywood 1/4 inch x 4 feet x 8 feet (First Class)	20	20	
184	Plain Sheet 0.4mm x 4 feet x 8 feet	20	20	
185	PVC Door (Door King) VGA Beige 60 cm x 210 cm	10	10	
186	Door Knob (HD) Heavy Duty	10	10	
187	Colored Roof 0.4mm x 4.5 mtrs. 7 Ribs (Green)	20	20	
188	C - Purlins 2 inches x 3 inches x 6.0mtrs. X 1.5mm	15	15	
189	Texscrew 2 1/2 inches (Metal)	1,000	1,000	
190	Jalousie Blade 20 inches long 4 inches Width (smoked)	10	10	
191	Jalouplus Frame 5 Blades,	2	2	

192	Blind Rivets 5/32 inch in diameter x 1/2 inch in length	5	5	
193	Drill Bit (Metal) 5/32 inch	10	10	
194	Flat Latex Paint (White)	20	20	
195	Gloss Latex Paint (White)	20	20	
196	Roller Brush 7 inches (Cloth)	10	10	
197	Baby Roller (Cotton)	10	10	
198	Paint Brush 2 inches	10	10	
199	Paint thinner	5	5	
200	Paint Tray	10	10	
201	Bright Green Paint	20	20	
202	Stainless Goose Neck Faucet	10	10	
203	Bidet (Stainless)	10	10	
204	Angle Valve 2 way	10	10	
205	Flexible Hose (Stainless) 1/2 inch in diameter x 16 inches long	10	10	
206	Lavatory Faucet, G.I.	5	5	
207	PPR Pipe 1/2 inch in Diameter	30	30	
208	PPR Elbow 1/2 inch in Diameter	30	30	
209	PPR Tee 1/2 inch in Diameter	20	20	
210	Floor Drain (Stainless)	10	10	
211	PVC Pipe Orange 2 inches in diameter S1000	20	20	
212	PVC Pipe Orange 4 inches in diameter S1000	10	10	
213	PVC Elbow Orange 4 inches in diameter S1000	15	15	
214	PVC Tee Orange 4 inches in diameter S1000	15	15	
215	PVC Wye Orange 4 inches in diameter S1000	15	15	
216	PVC P-Trap Orange 2 inches in diameter S1000	20	20	
217	Solvent Cement 400cc	20	20	
218	Faucet (Brass)	20	20	
	Teflon Tape 1/2 inch x 10 meters	20	20	
219	PPR Faucet Elbow	20	20	
220	PDX Number 14	5	5	
221	Receptacle 4inches in Diameter	80	80	
222	Electrical Tape (Big)	5	5	
223	Electrical Pipe 1/2 inch in diameter (Orange)	20	20	
224	Junction Box 4inches x 4inches	10	10	
225	Switch 1 Gang Assembled	20	20	
226	LED Bulb 15watts	20	20	
227	Tubular G.I. 1.5mm x 2 inches x 6 inches x 6.0mtrs.	8	8	
228	C-Purlins G.I. 1.5mm x 2 inches x 3 inches x 6.0mtrs.	26	26	
229	Angle Bar 3mm x 1 1/2 inches x 1 1/2 inches x 6.00mtrs	10	10	
230	Metal Cut-Off Disc 14 inches (Heavy Duty)	5	5	
231	Grinding Disc 4 inches in Diameter	15	15	
232	Metal Cutting Disc 4 inches in Diameter	15	15	
233	Metal Primer (Red Oxide)	6	6	
234	Baby Roller (Cotton)	5	5	
235	Paint Brush 2 inches	2	2	

236	Blind Rivets 5/32 inch in diameter x 1/2 inches	1	1	
237	Drill Bit (Metal) 5/32 inch in Diameter	5	5	
238	Spanish Gutter G.I. 0.4mm x 8 feet	1	1	
239	Plain Sheet G.I. Pre-painted 0.4mm x 4 feet, x 8 feet	2	2	
240	Tex screw 2 1/2 inches (metal)	500	500	
241	Welding Rod number 6013 (Special) 2.5kg.	5	5	
242	Screened River Sand	1	1	
243	Premium Cement 40kg Type 1	20	20	
244	GV-6690 Water Closet	2	2	
245	Bidet (Stainless)	3	3	
246	Faucet (brass)	2	2	
247	Floor Drain (Stainless)	2	2	
248	Lavatory GV-159 C Top Art basin	2	2	
249	Polyvinyl Chloride (PVC) Pipe Cement 400cc.	1	1	
250	Coupling Threaded 1/2 inches in Diameter (Blue)	4	4	
251	Elbow 1/2 inch in Diameter (Blue)	4	4	
252	Tee 1/2 inch in Diameter (Blue)	4	4	
253	Polyvinyl Chloride Pipe (PVC) 1/2 inch in diameter (Blue)	4	4	
254	Teflon Tape (Big)	1	1	
255	Marine Plywood 1/4 inch x 4 feet x 8 feet (First Class)	35	35	
256	Carrying Channel 1 inch x 2 inches x 16 feet	26	26	
257	Metal Furring	5	5	
258	Black Screw 1 inch (Metal)	200	200	
259	Concrete Nail 1 inch	1	1	
260	Polyvinyl Chloride Door (Door King) VGA Beige 60cm x 210cm	1	1	
261	Flush Door (wood) 0.80 meter x 2.18 meter	1	1	
262	Jambs(wood) 0.80 meter x 2.18 meter	1	1	
263	Door Knob (Heavy Duty)	2	2	
264	Butt Hinges 4inches x 4inches	8	8	
265	Flat Latex Paint (White)	1	1	
266	Gloss Latex Paint (White)	1	1	
267	Paint Tray	2	2	
268	Paint Roller (Cotton) 9 inches	2	2	
269	Flat Wall Enamel Paint (White)	1	1	
270	Quick Dry Enamel Paint (White)	4	4	
271	Baby Roller (Cotton)	4	4	
272	Paint Brush 2 inches	4	4	
273	Sand Paper CC 120 CW 9 inches x 11 inches	15	15	
274	LED Bulb 15watts	6	6	
275	Convenient Outlet 3 Gang (Assembled)	4	4	
276	Convenient Outlet 2 Gang (Assembled)	1	1	
277	Switch 3 Gang (Assembled)	3	3	
278	switch 1 Gang (Assembled)	1	1	
279	Receptacle 4inches in diameter	6	6	

280	Utility Box 4 inches x 2 inches	10	10	
281	Circuit Breaker and Box (60 Ampere) Assembled	1	1	
282	Vinyl Electrical Tape 0.16mm x 19mm x 16 meters	2	2	
283	Junction Box 4 inches x 4 inches	5	5	
284	PDX Wire Number 14	1	1	
285	Jalousie, Frames and Other Accessories for Glass Works with Installation	1	1	
	Jalouplus Frame 13 Blades (12 pairs)			
	Jalousie Blade 24 inches x 4 inches (156 pieces)			
	Window Jamb and Mullion			
	Window Area: 9.47 SQ.M			
286	Paint (rubberized), white	50	50	
287	Water Proofing, white	33	33	
288	Galvanized Iron (G.I.) Pipe 4 inches in diameter x 6.0 meters. S40	10	10	
289	Angle Bar 4.5mm x 2 inches x 2 inches x 6.0mtrs.	50	50	
290	Angle Bar 3mm x 1 1/2 inches x 1 1/2 inches x 6.0mtrs.	70	70	
291	Welding Electrode number 6013 (Special) 2.5kg/box	10	10	
292	Cutting Disc 4 inches in diameter (Metal)	10	10	
293	Grinding Disc 4 inches in diameter	10	10	
294	Metal Primer (Red Oxide) Paint	1	1	
295	Paint Brush 2 inches	3	3	
296	Baby Roller (Cotton)	3	3	
297	Paint Thinner, 350ml/bottle	3	3	
298	2 inches x 4 inches x 6.0m x 1.5 Tubular	69	69	
299	Colored Roof 0.4mm x 6.0mtrs Rib Type, 7 Ribs, Green	19	19	
300	Concrete Hollow Blocks (CHB) 4 inches	1,500	1,500	
301	Premium Cement 40kg Type 1	145	145	
302	Reinforcing Steel Bar (RSB) 10 mm	106	106	
303	Galvanized Iron (G. I.) Wire number 18	20	20	
304	River Sand	20	20	
305	Angle Bar 2.5 mm x 2 inches x 2 inches x 6.00 meters	30	30	
306	Welding Electrode number 6013 (Special) 2.5kg/box	3	3	
307	Cutting Disc 4 inches in diameter (for Metal)	15	15	
308	Grinding Disc 4 inches in diameter	4	4	
309	Metal Primer (Red Oxide) Paint	8	8	
310	Paint Brush 2 inches	2	2	
311	Baby Roller (Cotton)	3	3	
312	Paint Thinner	2	2	
313	Reinforcing Steel Bar (RSB) 10mm Grade 33	230	230	
314	Galvanized Iron (G. I.) Pipe 1 inch in diameter S40	10	10	

315	G.I. Pipe 4 inches S40	5	5	
316	Channel Bar 2 inches x 4 inches x 6.0 ft x 1.5	6	6	
317	C-Purlins 2 inches x 3 inches x 20 ft x 1.2	27	27	
318	2 inches x 4 inches x 6.0 m x 1.5 Tubular	10	10	
319	Welding Rod (special) 2.5 kg	2	2	
320	RSB 10 mm Grade 33	30	30	
321	Cut-off Cutting Disc, 14 inches	10	10	
322	Angle Bar 1 ½ inches x 1 ½ inches x 3 mm x 6 meters.	6	6	
323	Flat Bar 1 inch x 3 mm x 6 meters.	3	3	
324	LED Bulb (15 watts)	10	10	
325	Convenient Outlet 2 Gang	2	2	
326	Switch 2 Gang	1	1	
327	Electrical Tape (Big)	1	1	
328	Junction Box	2	2	
329	Utility Box	3	3	
330	Receptacle 4 inches in diameter	10	10	
331	PDX number 14	1	1	
332	Premium Cement 40kg Type 1	60	60	
333	CHB #4	90	90	
334	Washed River Sand	3	3	
335	Washed Gravel	2	2	
336	RSB 10 mm	52	52	
337	G.I. Wire #16	2	2	
338	Red Oxide	2	2	
339	Baby Roller (cotton)	1	1	
340	Quick Drying Enamel, Black	4	4	
341	Paint Thinner, 350ml/bottle	4	4	
342	Paint Brush 2 inches	2	2	
343	Canvass (White) with Installation, 72 sq.m.	1	1	
344	Nylon String #40	5	5	
345	Galvanized Iron (G.I.) Pipe 1 inch in diameter S40 x 6.0mtrs. S40	120	120	
346	Flat Bar 2.5mm x 2 inches x 6.0mtrs.	60	60	
347	Galvanized Iron (G. I.) Pipe 1/2 inch in diameter x 6.0mtrs. S40	60	60	
348	Welding Electrode number 6013 (Special) 2.5kg/box	10	10	
349	Cutting Disc 4 inches in diameter (For Metal)	90	90	
350	Grinding Disc 4 inches in diameter	100	100	
351	Metal Primer (Red Oxide) Paint	20	20	
352	Paint Brush 2 inches	20	20	
353	Baby Roller (Cotton)	10	10	
354	Paint Thinner, 350ml/bottle	10	10	
355	Dyna Bolt 3/8 inch in diameter	200	200	
356	Drill bit 3/8 inch in diameter (for masonry)	20	20	
357	Cut off blades, 14" x 3 x 25.4 (3900RPM)	6	6	
358	Chainsaw blades, standard size	6	6	
359	Circular blades, 16" dia	6	6	
360	Grasscutter blades, 10" dia	6	6	
361	Grasscutter nylon #250	10	10	

362	Welding rod 6013 Special (2.5 kg/box)	6	6	
363	CWN #2, (25 kg/box)	2	2	
364	CWN #3, (25 kg/box)	4	4	
365	CWN #4, (25 kg/box)	2	2	
366	CWN #5, (25 kg/box)	2	2	
367	G.I. Nuts and Bolts, ¾" dia x 4"	25	25	
368	G.I. Nuts and Bolts, ½" dia x 4"	25	25	
369	Electric Switch Gang (2 gang)	20	20	
370	Electric Wires, PDX #14	1	1	
371	Rope, 10 mm #20 dia, 200m	1	1	
372	Barbed Wires, 30kg	6	6	
373	Hog Wires, 10 holes, 36m, 18kg	6	6	
374	4.5 mm thick x 4ft x 8 ft Fiber Cement Board	23	23	
375	0.5 mm thick x 3 m Metal Studs	58	58	
376	Blind Rivets 5/32 inch x 1/2 inch (500 pcs/box)	3	3	
377	Metal Drill Bit 5/32 inch diameter	10	10	
378	Riveter (Heavy Duty)	1	1	
379	Masonry Drill Bit 1/8 inch diameter	10	10	
380	Marine Plywood ¾ inches x 4 feet x 8 feet (First Class)	4	4	
381	2 inches Common Wire Nails	4	4	
382	1 inch Common Wire Nails	3	3	
383	Flat Latex Tulle White (1 pail = 4 gallon)	7	7	
384	Semi-Gloss Tulle White (1 pail = 4 gallon)	9	9	
385	Quick Dry Enamel Paint Brown	3	3	
386	3 inches Paint Brush	3	3	
387	2 inches Paint Brush	3	3	
388	Paint Roller 9 inches long (cotton)	3	3	
389	Baby Roller	3	3	
390	Paleta 4 inches without handle	2	2	
391	Paint Thinner	1	1	
392	Sand Paper No. 100 (28 cm x 23 cm)	15	15	
393	Sand Paper No. 220 (28 cm x 23 cm)	15	15	
394	Sand Paper No. 420 (28 cm x 23 cm)	15	15	
395	6 mm Thick Tinted Brown Glass Partition with Complete Installation (W=3.95 m x H=1 m)	1	1	
396	Heavy Duty Double Panel Reflective Brown Glass Door with 1/4" thick reflective Glass in Analoc Frame tinted Brown finish, with Door Handle, Door Lock, Door Hinges and Door Closer with Header and Complete Accessories and including Installation (W=2.15 m x H=2.5 m)	1	1	
397	Single Panel Wooden Door with Door jamb (W=0.8 m x H=2.10 m)	1	1	
398	Stainless Metal Letter Plates with Installation (1 foot length) ADMISSION and RELEASING w/ installation	18	18	
399	Door Knob (Heavy Duty Type)	1	1	
400	3" x 3" Door hinges (Stainless Type)	3	3	

401	Bolt-on Type Electrical Panel Board with 4 branches	1	1	
402	Bolt-on Type Circuit Breaker 60 amps	1	1	
403	Bolt-on Type Circuit Breaker 20 amps	4	4	
404	THHN Wire no. 12 (30 meters)	1	1	
405	THHN Wire no. 6 (106 meters)	1	1	
406	Vinyl Electrical Tape (0.16mm x 19mm x 16mm)	3	3	
407	Air Conditioning Unit Outlet (Universal)	4	4	
408	Utility Box Surface Type	4	4	
409	$\frac{3}{4}$ inches Plastic Moulding/Polyvinyl Chloride Moulding	50	50	
410	Black Screw $\frac{3}{4}$ inch (500 pc/box)	1	1	
411	Toks Screw $\frac{3}{4}$ inch (500 pc/box)	1	1	
412	Adhesive Liquid Nail (100grams)	4	4	
413	Masonry Drill Bit $\frac{3}{4}$ inches in diameter	3	3	

Section VII. Technical Specifications

TECHNICAL SPECIFICATIONS

Solicitation No. RSU-2024-06-062

ABC: PhP4,303,026.78

Supply and Delivery of Various Construction Supplies and Materials for Romblon State University

Item	ITEM DESCRIPTION	STATEMENT OF COMPLIANCE ¹
1	2 inches x 3 inches x 10 feet Coco lumber	
2	Common Wire Nail (CWN) 3 inches	
3	Nylon No. 40 (37 meters/clip)	
4	Sledge Hammer (8 lbs)	
5	Fiber Cement Board 4.5 mm thick x 8 feet x 4 feet	
6	Metal Furring 0.4 mm x 16 feet long	
7	Carrying Channel 0.8 mm x 10 feet long	
8	Wall Angle 1 inch x 1 inch x 10 feet long	
9	W-Clip	
10	Blind Rivets 5/32 inches x ½ inch (1 box = 500 pcs)	
11	Riveter Heavy Duty	
12	Metal Drill Bit 5/32 inches x ½ inch	
13	Concrete Nail 1 inch	
14	Galvanized Iron No. 16 Tying Wire	
15	Reinforcing Steel Bar (RSB) 16 mm	
16	Reinforcing Steel Bar (RSB) 10 mm	
17	Concrete Hollow Block (CHB) 6 inches	
18	Portland Cement 40kg Type 1	
19	Galvanized Iron Wire (G.I.) number 16	
20	Phenolic Board ½ inch x 4 feet x 8 feet	
21	Coco lumber 2 inches x 3 inches x 10 feet	
22	Common Wire Nail (CWN) 2 inches	
23	Common Wire Nail (CWN) 3 inches	
24	Common Wire Nail (CWN) 4 inches	
25	Washed Gravel	
26	Screened River Sand	
27	Blind Revits 5/32 inch in Diameter x 5/8 inch long	
28	Colored Roof RIB Type (7 Rib) .5mm x 6.0mtrs. Green	
29	Tex screw 2 ½ inch (Metal)	
30	Galvanized Iron C-Purlins 2.0mm x 2 inches x 3 inches x 6.0mtrs.	
31	Galvanized Iron Tubular 2.0 mm x 2 inches x 4 inches x 6.0 meters.	
32	Stainless Tube 1 ½ inch in Diameter SUS 304	
33	Flop Disc Number 120	
34	Flop Disc Number 100	
35	Buffing Soap	
36	Nylon Flux	
37	Electrode Stainless NSS - 308 (2.6 mm) 1/16 inch.	
38	Cotton Flux	
39	Flat Latex White Paint	
40	Gloss Latex White Paint	

¹ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

41	Acry Color Lamp Black	
42	Paint Brush 2 inches	
43	Baby Roller (Cloth)	
44	Paint Thinner	
45	Sand Paper no. 100 (28 cm by 23 cm)	
46	Sand Paper no. 220 (28 cm by 23 cm)	
47	Sand Paper no. 420 (28 cm by 23 cm)	
48	Skim Coat	
49	Roller Brush 9 inches (Cloth)	
50	Metal Flushed Type Door with Bottom Louver Rockwool insulated 4 mm thick GA 18, GI Door Panel with GA 16 Single Rabbet Jamb 45mm x 100mm with 100mm x 100mm Bearing Hinges (Color: Pantone Cool Gray 5c), 2.1mH x .9mW	
51	Ordinary Green Fixed Glass Window 5 mm thick Panel on 50 mm x 100 mm Baked Powder Coated Aluminum Frame 2mH x 1.35mW (with installation)	
52	Ordinary Green Fixed Glass Window 6 mm thick Panel on 50 mm x 100 mm Baked Powder Coated Aluminum Frame 1.84mH x 0.4mW (with installation)	
53	Motion sensor ceiling type, 220V	
54	Wall fan 18 inches, 3 speed (white)	
55	Photo Control photo-switch sensor switch light controller AC 220V, 60Hz, 10A	
56	Electrical Meter direct type CL-100	
57	ECB 40AT 2P NEMA 3R	
58	3 Gang Switch	
59	Duplex Universal Outlet with ground	
60	Single Universal Outlet with ground	
61	Blank Cover for utility box	
62	8 inches exhaust fan ceiling mounted (flexible duct 3 inches diameter and 3 meters length)	
63	1 x 18 watts LED T8 tube die form cold rolled steel casings with prismatic diffuser	
64	2 pole Electrical panel flush mounted 1 main, 4 branches bolt-on type bus bar	
65	40A, 2 pole, bolt-on circuit breaker	
66	20A, 2 pole, bolt-on circuit breaker	
67	Pull box, Gauge 16, Concentric Knock-out 1.2mm thick metal pull box conduit (6 x 6 x 4) inch	
68	15 watts pinlight recessed type	
69	1/2 inch diameter electrical PVC pipe, orange	
70	3/4 inch diameter electrical PVC pipe orange	
71	3 inch diameter electrical PVC pipe orange	
72	PVC utility box with cover	
73	PVC junction box with cover	
74	AWG #8 THHN wire	
75	AWG #12 THHN wire	
76	AWG #14 THHN wire	
77	CCTV set with 2 channel 5MP Full HD with Audio with 20 inches LED monitor with installation (please clarify if this item should be included in this project)	
78	Grounding Rod 3 meters 5/8 inch diameter	
79	Grounding Clamp 5/8 inch	
80	Electrical Tape (15 meters x 0.16mm x 19mm x 16mm)	
81	Concrete Hollow Blocks (CHB) 4 inches	
82	Premium Cement 40kg Type 1	
83	Reinforcing Steel Bar (RSB) 10mm	

84	Galvanized Iron (G.I.) wire number 18	
85	River sand	
86	Marine Plywood ¼ inch x 4 feet x 8 feet (first class)	
87	Common Wire Nail (CWN) 1 inch	
88	Common Wire Nail (CWN) 2 inches	
89	Finishing Nail 1 inch	
90	PVC Door (Door King) VGA Beige 60 cm x 210 cm	
91	Door Knob (HD) Heavy Duty	
92	Jalousie Blade 17 inches long 4 inches width (smoked)	
93	Lavatory Faucet, G.I.	
94	Flexible Hose (Stainless) ½ inch in diameter x 16 inches long	
95	Faucet (Brass)	
96	Floor Drain (Plastic)	
97	Angle Valve 1 Way	
98	Teflon Tape ½ inch x 10 meters	
99	Receptacle 4 inches in diameter	
100	LED Bulb 15 watts	
101	Electrical Tape (Big)	
102	Switch 1 gang Assembled	
103	Premium Cement 40kg Type 1	
104	Concrete Hollow Blocks (CHB) 4 inches	
105	River sand	
106	Washed gravel	
107	Reinforcing Steel Bar (RSB) 12mm Grade 33	
108	Reinforcing Steel Bar (RSB) 9mm Grade 33	
	Common Wire Nail (CWN) 2 inches	
109	Common Wire Nail (CWN) 3 inches	
110	Galvanized Iron (G.I.) wire number 16	
111	Galvanized Iron (G.I.) pipe 4 inches in diameter x 6.0mtrs. S40	
112	Angle Bar 2.5mm x 1 ½ inch x 6.0mtrs	
113	Flat Bar 2.5mm x 2 inches x 6.0mtrs	
114	Tubular G.I. 2 inches x 6 inches x 6.mtrs	
115	Welding Electrode Special 6013 (2.5kg/box)	
116	Metal Cutting Disc 4 inches in diameter	
117	Grinding Disc 4 inches in diameter	
118	Flat Bar 3.5mm x 2 inches x 6.0mtrs	
119	Metal Cut-Off Disc 14 inches in diameter	
120	Channel Bar 2 inches x 4 inches x 6.0mtrs, thickness: 3.5 mm	
121	Colored Roof RIB Type .5mm x 6.0mtrs. (7 ribs) Green	
122	Ridge Roll 18 inches x .5mm	
123	Fiber Cement Facia Board 10mm x 10 inches x 8 feet	
124	Valley Gutter 0.5mm x 18 inches	
125	C-Purlins 2 inches x 3 inches x 6.0mtrs x 1.5mm	
126	Tex screw 2 ½ inches (Metal)	
127	Blind Rivets 5/32 inch in diameter x ¾ inch long	
128	Metal Drill Bit 5/32 inch in diameter	
129	Riveter Heavy Duty (HD)	
130	Tubular 2 inches x 6 inches x 6.0mtrs x 2.0mm	
131	Baby Roller (Cotton)	
132	Paint Brush 2 inches	
133	Metal Primer (Red Oxide) Paint	
134	PDX Wire number 14	
135	Convenient Outlet 2 Gang Assembled	
136	Utility Box 2 inches x 4 inches, plastic	
137	Receptacle 4 inches in diameter, plastic	
138	Polyvinyl Chloride (PVC) orange ½ inch in diameter	
139	Vinyl Electrical Tape .16mm x 19mm x 6mtr.	
140	LED Light Bulb 15 watts	
141	Switch 2 Gang Assembled	
142	Paint Thinner, 350ml/bottle	
143	Nylon Number 80	

144	Bidet (Stainless)	
145	3 Way Angle Valve	
146	Teflon Tape	
147	Gloss Latex Paint (White)	
148	Quick Dry Enamel Paint, White	
149	Roller Brush #7	
150	Baby Roller (Cotton)	
151	Paint Thinner, 350ml/bottle	
152	Paint Tray	
153	LED Bulb 15 watts	
154	Tubular G.I. 1 inch x 2 inches x 6mtrs. X 1.5mm	
155	Welding Electrode number 6013 (Special) 2.5kg/box	
156	Metal Cutting Disc 4 inches in diameter	
157	Grinding Disc 4 inches in diameter	
158	G.I. Bolts and nuts 1/4 inch in diameter x 2 inches	
159	Marine Plywood 1/4 inch x 4 feet x 8 feet (First Class)	
160	Blind Rivets 5/32 inch x 1/2 inch	
161	Drill Bit (Metal) 5/32 inch in diameter	
162	Metal Primer (Red Oxide) Paint	
163	Quick Drying Enamel Black Paint	
164	Paint Brush 2 inches	
165	Baby Roller (Cotton)	
166	Paint Thinner, 350ml/bottle	
167	Premium Cement 40kg Type 1	
168	Concrete Hollow Blocks (CHB) 4 inches	
169	Washed River Sand	
170	Washed Gravel	
171	Mixed Sand	
172	Reinforcing Steel Bar (RSB) 12mm Grade 33	
173	Reinforcing Steel Bar (RSB) 9mm Grade 33	
174	Reinforcing Steel Bar (RSB) 10mm Grade 33	
175	Galvanized Iron (G. I.) Wire number 16	
176	Premium Cement 40kg Type 1	
177	Washed River Sand	
178	Floor Tiles 40cm x 40cm	
179	Tile Grout	
180	GV-6690 Water Closet	
181	Tissue holder (Porcelain)	
182	Lavatory GV-159 C Top Art basin	
183	Marine Plywood 1/4 inch x 4 feet x 8 feet (First Class)	
184	Plain Sheet 0.4mm x 4 feet x 8 feet	
185	PVC Door (Door King) VGA Beige 60 cm x 210 cm	
186	Door Knob (HD) Heavy Duty	
187	Colored Roof 0.4mm x 4.5 mtrs. 7 Ribs (Green)	
188	C - Purlins 2 inches x 3 inches x 6.0mtrs. X 1.5mm	
189	Texscrew 2 1/2 inches (Metal)	
190	Jalousie Blade 20 inches long 4 inches Width (smoked)	
191	Jalouplus Frame 5 Blades,	
192	Blind Rivets 5/32 inch in diameter x 1/2 inch in length	
193	Drill Bit (Metal) 5/32 inch	
194	Flat Latex Paint (White)	
195	Gloss Latex Paint (White)	
196	Roller Brush 7 inches (Cloth)	
197	Baby Roller (Cotton)	
198	Paint Brush 2 inches	
199	Paint thinner	
200	Paint Tray	
201	Bright Green Paint	
202	Stainless Goose Neck Faucet	
203	Bidet (Stainless)	
204	Angle Valve 2 way	
205	Flexible Hose (Stainless) 1/2 inch in diameter x 16 inches long	

206	Lavatory Faucet, G.I.	
207	PPR Pipe 1/2 inch in Diameter	
208	PPR Elbow 1/2 inch in Diameter	
209	PPR Tee 1/2 inch in Diameter	
210	Floor Drain (Stainless)	
211	PVC Pipe Orange 2 inches in diameter S1000	
212	PVC Pipe Orange 4 inches in diameter S1000	
213	PVC Elbow Orange 4 inches in diameter S1000	
214	PVC Tee Orange 4 inches in diameter S1000	
215	PVC Wye Orange 4 inches in diameter S1000	
216	PVC P-Trap Orange 2 inches in diameter S1000	
217	Solvent Cement 400cc	
218	Faucet (Brass)	
	Teflon Tape 1/2 inch x 10 meters	
219	PPR Faucet Elbow	
220	PDX Number 14	
221	Receptacle 4inches in Diameter	
222	Electrical Tape (Big)	
223	Electrical Pipe 1/2 inch in diameter (Orange)	
224	Junction Box 4inches x 4inches	
225	Switch 1 Gang Assembled	
226	LED Bulb 15watts	
227	Tubular G.I. 1.5mm x 2 inches x 6 inches x 6.0mtrs.	
228	C-Purlins G.I. 1.5mm x 2 inches x 3 inches x 6.0mtrs.	
229	Angle Bar 3mm x 1 1/2 inches x 1 1/2 inches x 6.00mtrs	
230	Metal Cut-Off Disc 14 inches (Heavy Duty)	
231	Grinding Disc 4 inches in Diameter	
232	Metal Cutting Disc 4 inches in Diameter	
233	Metal Primer (Red Oxide)	
234	Baby Roller (Cotton)	
235	Paint Brush 2 inches	
236	Blind Rivets 5/32 inch in diameter x 1/2 inches	
237	Drill Bit (Metal) 5/32 inch in Diameter	
238	Spanish Gutter G.I. 0.4mm x 8 feet	
239	Plain Sheet G.I. Pre-painted 0.4mm x 4 feet, x 8 feet	
240	Tex screw 2 1/2 inches (metal)	
241	Welding Rod number 6013 (Special) 2.5kg.	
242	Screened River Sand	
243	Premium Cement 40kg Type 1	
244	GV-6690 Water Closet	
245	Bidet (Stainless)	
246	Faucet (brass)	
247	Floor Drain (Stainless)	
248	Lavatory GV-159 C Top Art basin	
249	Polyvinyl Chloride (PVC) Pipe Cement 400cc.	
250	Coupling Threaded 1/2 inches in Diameter (Blue)	
251	Elbow 1/2 inch in Diameter (Blue)	
252	Tee 1/2 inch in Diameter (Blue)	
253	Polyvinyl Chloride Pipe (PVC) 1/2 inch in diameter (Blue)	
254	Teflon Tape (Big)	
255	Marine Plywood 1/4 inch x 4 feet x 8 feet (First Class)	
256	Carrying Channel 1 inch x 2 inches x 16 feet	
257	Metal Furring	
258	Black Screw 1 inch (Metal)	
259	Concrete Nail 1 inch	
260	Polyvinyl Chloride Door (Door King) VGA Beige 60cm x 210cm	
261	Flush Door (wood) 0.80 meter x 2.18 meter	
262	Jambs(wood) 0.80 meter x 2.18 meter	
263	Door Knob (Heavy Duty)	
264	Butt Hinges 4inches x 4inches	
265	Flat Latex Paint (White)	

266	Gloss Latex Paint (White)	
267	Paint Tray	
268	Paint Roller (Cotton) 9 inches	
269	Flat Wall Enamel Paint (White)	
270	Quick Dry Enamel Paint (White)	
271	Baby Roller (Cotton)	
272	Paint Brush 2 inches	
273	Sand Paper CC 120 CW 9 inches x 11 inches	
274	LED Bulb 15watts	
275	Convenient Outlet 3 Gang (Assembled)	
276	Convenient Outlet 2 Gang (Assembled)	
277	Switch 3 Gang (Assembled)	
278	switch 1 Gang (Assembled)	
279	Receptacle 4inches in diameter	
280	Utility Box 4 inches x 2 inches	
281	Circuit Breaker and Box (60 Ampere) Assembled	
282	Vinyl Electrical Tape 0.16mm x 19mm x 16 meters	
283	Junction Box 4 inches x 4 inches	
284	PDX Wire Number 14	
285	Jalousie, Frames and Other Accessories for Glass Works with Installation	
	Jalouplus Frame 13 Blades (12 pairs)	
	Jalousie Blade 24 inches x 4 inches (156 pieces)	
	Window Jamb and Mullion	
	Window Area: 9.47 SQ.M	
286	Paint (rubberized), white	
287	Water Proofing, white	
288	Galvanized Iron (G.I.) Pipe 4 inches in diameter x 6.0 meters. S40	
289	Angle Bar 4.5mm x 2 inches x 2 inches x 6.0mtrs.	
290	Angle Bar 3mm x 1 1/2 inches x 1 1/2 inches x 6.0mtrs.	
291	Welding Electrode number 6013 (Special) 2.5kg/box	
292	Cutting Disc 4 inches in diameter (Metal)	
293	Grinding Disc 4 inches in diameter	
294	Metal Primer (Red Oxide) Paint	
295	Paint Brush 2 inches	
296	Baby Roller (Cotton)	
297	Paint Thinner, 350ml/bottle	
298	2 inches x 4 inches x 6.0m x 1.5 Tubular	
299	Colored Roof 0.4mm x 6.0mtrs Rib Type, 7 Ribs, Green	
300	Concrete Hollow Blocks (CHB) 4 inches	
301	Premium Cement 40kg Type 1	
302	Reinforcing Steel Bar (RSB) 10 mm	
303	Galvanized Iron (G. I.) Wire number 18	
304	River Sand	
305	Angle Bar 2.5 mm x 2 inches x 2 inches x 6.00 meters	
306	Welding Electrode number 6013 (Special) 2.5kg/box	
307	Cutting Disc 4 inches in diameter (for Metal)	
308	Grinding Disc 4 inches in diameter	
309	Metal Primer (Red Oxide) Paint	
310	Paint Brush 2 inches	
311	Baby Roller (Cotton)	
312	Paint Thinner	
313	Reinforcing Steel Bar (RSB) 10mm Grade 33	
314	Galvanized Iron (G. I.) Pipe 1 inch in diameter S40	
315	G.I. Pipe 4 inches S40	
316	Channel Bar 2 inches x 4 inches x 6.0 ft x 1.5	
317	C-Purlins 2 inches x 3 inches x 20 ft x 1.2	
318	2 inches x 4 inches x 6.0 m x 1.5 Tubular	
319	Welding Rod (special) 2.5 kg	
320	RSB 10 mm Grade 33	
321	Cut-off Cutting Disc, 14 inches	
322	Angle Bar 1 1/2 inches x 1 1/2 inches x 3 mm x 6 meters.	

323	Flat Bar 1 inch x 3 mm x 6 meters.	
324	LED Bulb (15 watts)	
325	Convenient Outlet 2 Gang	
326	Switch 2 Gang	
327	Electrical Tape (Big)	
328	Junction Box	
329	Utility Box	
330	Receptacle 4 inches in diameter	
331	PDX number 14	
332	Premium Cement 40kg Type 1	
333	CHB #4	
334	Washed River Sand	
335	Washed Gravel	
336	RSB 10 mm	
337	G.I. Wire #16	
338	Red Oxide	
339	Baby Roller (cotton)	
340	Quick Drying Enamel, Black	
341	Paint Thinner, 350ml/bottle	
342	Paint Brush 2 inches	
343 4	Canvass (White) with Installation, 72 sq.m.	
344	Nylon String #40	
345	Galvanized Iron (G.I.) Pipe 1 inch in diameter S40 x 6.0mtrs. S40	
346	Flat Bar 2.5mm x 2 inches x 6.0mtrs.	
347	Galvanized Iron (G. I.) Pipe 1/2 inch in diameter x 6.0mtrs. S40	
348	Welding Electrode number 6013 (Special) 2.5kg/box	
349	Cutting Disc 4 inches in diameter (For Metal)	
350	Grinding Disc 4 inches in diameter	
351	Metal Primer (Red Oxide) Paint	
352	Paint Brush 2 inches	
353	Baby Roller (Cotton)	
354	Paint Thinner, 350ml/bottle	
355	Dyna Bolt 3/8 inch in diameter	
356	Drill bit 3/8 inch in diameter (for masonry)	
357	Cut off blades, 14" x 3 x 25.4 (3900RPM)	
358	Chainsaw blades, standard size	
359	Circular blades, 16" dia	
360	Grasscutter blades, 10" dia	
361	Grasscutter nylon #250	
362	Welding rod 6013 Special (2.5 kg/box)	
363	CWN #2, (25 kg/box)	
364	CWN #3, (25 kg/box)	
365	CWN #4, (25kg/box)	
366	CWN #5, (25 kg/box)	
367	G.I. Nuts and Bolts, 3/4" dia x 4"	
368	G.I. Nuts and Bolts, 1/2" dia x 4"	
369	Electric Switch Gang (2 gang)	
370	Electric Wires, PDX #14	
371	Rope, 10 mm #20 dia, 200m	
372	Barbed Wires, 30kg	
373	Hog Wires, 10 holes, 36m, 18kg	
374	4.5 mm thick x 4ft x 8 ft Fiber Cement Board	
375	0.5 mm thick x 3 m Metal Studs	
376	Blind Rivets 5/32 inch x 1/2 inch (500 pcs/box)	
377	Metal Drill Bit 5/32 inch diameter	
378	Riveter (Heavy Duty)	
379	Masonry Drill Bit 1/8 inch diameter	
380	Marine Plywood 3/4 inches x 4 feet x 8 feet (First Class)	
381	2 inches Common Wire Nails	
382	1 inch Common Wire Nails	
383	Flat Latex Tulle White (1 pail = 4 gallon)	

384	Semi-Gloss Tulle White (1 pail = 4 gallon)	
385	Quick Dry Enamel Paint Brown	
386	3 inches Paint Brush	
387	2 inches Paint Brush	
388	Paint Roller 9 inches long (cotton)	
389	Baby Roller	
390	Paleta 4 inches without handle	
391	Paint Thinner	
392	Sand Paper No. 100 (28 cm x 23 cm)	
393	Sand Paper No. 220 (28 cm x 23 cm)	
394	Sand Paper No. 420 (28 cm x 23 cm)	
395	6 mm Thick Tinted Brown Glass Partition with Complete Installation (W=3.95 m x H=1 m)	
396	Heavy Duty Double Panel Reflective Brown Glass Door with 1/4" thick reflective Glass in Analoc Frame tinted Brown finish, with Door Handle, Door Lock, Door Hinges and Door Closer with Header and Complete Accessories and including Installation (W=2.15 m x H=2.5 m)	
397	Single Panel Wooden Door with Door jamb (W=0.8 m x H=2.10 m)	
398	Stainless Metal Letter Plates with Installation (1 foot length) ADMISSION and RELEASING w/ installation	
399	Door Knob (Heavy Duty Type)	
400	3" x 3" Door hinges (Stainless Type)	
401	Bolt-on Type Electrical Panel Board with 4 branches	
402	Bolt-on Type Circuit Breaker 60 amps	
403	Bolt-on Type Circuit Breaker 20 amps	
404	THHN Wire no. 12 (30 meters)	
405	THHN Wire no. 6 (106 meters)	
406	Vinyl Electrical Tape (0.16mm x 19mm x 16mm)	
407	Air Conditioning Unit Outlet (Universal)	
408	Utility Box Surface Type	
409	¾ inches Plastic Moulding/Polyvinyl Chloride Moulding	
410	Black Screw ¾ inch (500 pc/box)	
411	Toks Screw ¾ inch (500 pc/box)	
412	Adhesive Liquid Nail (100grams)	
413	Masonry Drill Bit ¾ inches in diameter	

***Section VIII. Checklist of Technical and
Financial Documents***

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications, which shall include production/delivery schedule, manpower requirements, and/or after-sales/parts; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; **and**
- (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (k) *[For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.



Romblon State University

Forms

Procuring Entity:
Name of the Project:
Location of the Project:

List of all Ongoing Government and Private Contracts including contracts awarded but not yet started

Business Name : _____
 Business Address : _____

Name of Contract/Location Project Cost	a. Owner Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Date Awarded b. Date Started c. Date of Completion	% of Accomplishment		Value of Outstanding Works/ Undelivered Portion
			Description	%		Planned	Actual	
<u>Government</u>								
<u>Private</u>								
						Total Cost		

Submitted by : _____
 (Printed Name & Signature)
 Designation : _____
 Date : _____

Procuring Entity:
Name of the Project:
Location of the Project:

Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid

Business Name : _____
 Business Address : _____

Name of Contract	a. Owner Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Amount at Award b. Amount at Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed
			Description	%		
<u>Government</u>						
<u>Private</u>						

Submitted by : _____
 (Printed Name & Signature)
 Designation : _____
 Date : _____

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____